

Catalogue	Name, description	Form	Formula	CAS # EN
5801	Cerium(IV) ammonium nitrate, 99.5% (REO)	crystalline	(NH <sub>4</sub> ) <sub>2</sub> Ce(NO <sub>3</sub> ) <sub>6</sub>	16774-21-3
5802	Cerium(IV) ammonium nitrate, 99.99% (REO)	crystalline	(NH <sub>4</sub> ) <sub>2</sub> Ce(NO <sub>3</sub> ) <sub>6</sub>	16774-21-3
8213	Lead alloy granules	granules	96%Pb+4%Sb	7439-92-1
1301	Aluminum ingot, 99.99% (metals basis)	shots	Al	7429-90-5
1317	Aluminum nitrate hydrate, 99.99% (metals basis)	crystalline	Al(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	25838-59-9
1304	Aluminum bromide, ultra dry, 99% (metals basis)	5-10 mm shots	AlBr <sub>3</sub>	7727-15-3
1303	Aluminum bromide, ultra dry, 99.999% (metals basis)	crystalline	AlBr <sub>3</sub>	7727-15-3
1302	Aluminum bromide, ultra dry, 99.999% (metals basis)	powder	AlBr <sub>3</sub>	7727-15-3
1305	Aluminum chloride, anhydrous, 99.985% (metals basis)	powder	AlCl <sub>3</sub>	7446-70-0
1309	Aluminum chloride, anhydrous, 99.99% (metals basis)	powder	AlCl <sub>3</sub>	7446-70-0
1306	Aluminum chloride, anhydrous, 99.999% (metals basis)	powder	AlCl <sub>3</sub>	7446-70-0
1310	Aluminum chloride, ultra dry, 99.98% (metals basis)	powder	AlCl <sub>3</sub>	7446-70-0
1308	Aluminum chloride, ultra dry, 99.99% (metals basis)	powder	AlCl <sub>3</sub>	7446-70-0
1307	Aluminum chloride, ultra dry, 99.999% (metals basis)	powder	AlCl <sub>3</sub>	7446-70-0
1311	Aluminum fluoride, 99.9% (metals basis)	powder	AlF <sub>3</sub>	7784-18-1
1316	Aluminum fluoride, 99.99% (metals basis)	powder	AlF <sub>3</sub>	7784-18-1
1315	Aluminum iodide, ultra dry, 95% (metals basis)	powder	AlI <sub>3</sub>	7784-23-8

Catalogue	Name, description	Form	Formula	CAS # EN
1314	Aluminum iodide, ultra dry, 99.99% (metals basis)	crystalline	AlI <sub>3</sub>	7784-23-8
1312	Aluminum iodide, ultra dry, 99.99+% (metals basis)	2-8 mm lumps	AlI <sub>3</sub>	7784-23-8
1313	Aluminum iodide, ultra dry, 99.999% (metals basis)	powder	AlI <sub>3</sub>	7784-23-8
3301	Arsenic, 99.9999% (metals basis)	8-16 mm shots	As	7440-38-2
3303	Arsenic, 99.9999% (metals basis)	1-2,5 mm shots	As	7440-38-2
3302	Arsenic, 99.99999% (metals basis)	8-16 mm shots	As	7440-38-2
5601	Barium, 99.8% (metals basis)	shots	Ba	7440-39-3
5622	Barium nitrite hydrate, 99.99% (metals basis)	crystalline	Ba(NO <sub>2</sub> ) <sub>2</sub> ·H <sub>2</sub> O	115216-77-8
5602	Barium nitrate, 99.99% (metals basis)	crystalline	Ba(NO <sub>3</sub> ) <sub>2</sub>	10022-31-8
5603	Barium nitrate, 99.998% (metals basis)	crystalline	Ba(NO <sub>3</sub> ) <sub>2</sub>	10022-31-8
5604	Barium perrhenate, anhydrous, 99.99% (metals basis)	powder	Ba(ReO <sub>4</sub> ) <sub>2</sub>	13768-52-0
5606	Barium bromide, anhydrous, 99.9% (metals basis)	powder	BaBr <sub>2</sub>	10553-31-8
5605	Barium bromide, ultra dry, 99.998% (metals basis)	-10 mesh beads	BaBr <sub>2</sub>	10553-31-8
5607	Barium bromide, ultra dry, 99.998% (metals basis)	powder	BaBr <sub>2</sub>	10553-31-8
5612	Barium chloride, anhydrous, 99.9% (metals basis)	powder	BaCl <sub>2</sub>	10361-37-2
5613	Barium chloride, anhydrous, 99.99% (metals basis)	powder	BaCl <sub>2</sub>	10361-37-2
5608	Barium chloride, anhydrous, 99.998% (metals basis)	powder	BaCl <sub>2</sub>	10361-37-2
5609	Barium chloride, ultra dry, 99.95% (metals basis)	-10 mesh beads	BaCl <sub>2</sub>	10361-37-2
5614	Barium chloride, ultra dry, 99.995% (metals basis)	-10 mesh beads	BaCl <sub>2</sub>	10361-37-2

Catalogue	Name, description	Form	Formula	CAS # EN
5611	Barium chloride, ultra dry, 99.998% (metals basis)	powder	BaCl <sub>2</sub>	10361-37-2
5610	Barium chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	BaCl <sub>2</sub>	10361-37-2
5625	Barium chloride dihydrate, 99.5% (metals basis)	crystalline	BaCl <sub>2</sub> ·2H <sub>2</sub> O	10326-27-9
5615	Barium carbonate, 99.99% (metals basis)	powder	BaCO <sub>3</sub>	513-77-9
5616	Barium carbonate, 99.998% (metals basis)	powder	BaCO <sub>3</sub>	513-77-9
5624	Barium fluoride, anhydrous, 99.998% (metals basis)	powder	BaF <sub>2</sub>	7787-32-8
5617	Barium fluoride, ultra dry, 99.998% (metals basis)	powder	BaF <sub>2</sub>	7787-32-8
5623	Barium iodide, anhydrous, 99.7% (metals basis)	powder	BaI <sub>2</sub>	13718-50-8
5619	Barium iodide, ultra dry, 99.995% (metals basis)	-10 mesh beads	BaI <sub>2</sub>	13718-50-8
5620	Barium iodide, ultra dry, 99.995% (metals basis)	powder	BaI <sub>2</sub>	13718-50-8
5618	Barium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	BaI <sub>2</sub>	13718-50-8
5621	Barium iodide dihydrate, 98% (metals basis)	powder	BaI <sub>2</sub> ·2H <sub>2</sub> O	7787-33-9
8301	Bismuth, 99.999% (metals basis)	shots	Bi	7440-69-9
8303	Bismuth, 99.9999% (metals basis)	ingot	Bi	7440-69-9
8323	Bismuth(III) Nitrate Pentahydrate, 99.9%	crystalline	Bi(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O	10035-06-0
8304	Bismuth(III) oxide, 99.99% (metals basis)	powder	Bi <sub>2</sub> O <sub>3</sub>	1304-76-3
8306	Bismuth(III) telluride, 99.95% (metals basis)	powder	Bi <sub>2</sub> Te <sub>3</sub>	1304-82-1
8305	Bismuth(III) telluride, 99.98% (metals basis)	powder	Bi <sub>2</sub> Te <sub>3</sub>	1304-82-1
8307	Bismuth(III) telluride, 99.99% (metals basis)	powder	Bi <sub>2</sub> Te <sub>3</sub>	1304-82-1

Catalogue	Name, description	Form	Formula	CAS # EN
8322	Bismuth(III) bromide, 99% (metals basis)	powder	BiBr3	7787-58-8
8308	Bismuth(III) bromide, ultra dry, 98+% (metals basis)	powder	BiBr3	7787-58-8
8309	Bismuth(III) bromide, ultra dry, 99.999% (metals basis)	powder	BiBr3	7787-58-8
8320	Bismuth(III) bromide, ultra dry, 99.999% (metals basis)	crystalline	BiBr3	7787-58-8
8310	Bismuth(III) chloride, anhydrous, 99.99% (metals basis)	powder	BiCl3	7787-60-2
8311	Bismuth(III) chloride, anhydrous, 99.999% (metals basis)	crystalline	BiCl3	7787-60-2
8315	Bismuth(III) chloride, ultra dry, 99.995% (metals basis)	powder	BiCl3	7787-60-2
8313	Bismuth(III) chloride, ultra dry, 99.997% (metals basis)	crystalline	BiCl3	7787-60-2
8312	Bismuth(III) chloride, ultra dry, 99.997+% (metals basis)	powder	BiCl3	7787-60-2
8314	Bismuth(III) chloride, ultra dry, 99.998% (metals basis)	crystalline/powder	BiCl3	7787-60-2
8316	Bismuth(III) chloride, ultra dry, 99.999% (metals basis)	powder	BiCl3	7787-60-2
8321	Bismuth(III) chloride, ultra dry, 99.999% (metals basis)	crystalline	BiCl3	7787-60-2
8317	Bismuth(III) fluoride, anhydrous, 99.999% (metals basis)	powder	BiF3	7787-61-3
8318	Bismuth(III) iodide, ultra dry, 99.998% (metals basis)	-10 mesh beads	BiI3	7787-64-6
8319	Bismuth vanadium oxide, 99.9% (metals basis)	-200 mesh	BiVO4	14059-33-7

Catalogue	Name, description	Form	Formula	CAS # EN
		powder		
2031	Calcium, 99.9% (metals basis)	granules	Ca	7440-70-2
2001	Calcium iodate monohydrate, 99+% (metals basis)	powder	Ca(IO <sub>3</sub> ) <sub>2</sub> ·H <sub>2</sub> O	10031-32-0
2002	Calcium nitrate hydrate, 99.99% (metals basis)	crystalline	Ca(NO <sub>3</sub> ) <sub>2</sub> ·xH <sub>2</sub> O	35054-52-5
2003	Calcium perrhenate, 99.99% (metals basis)	powder	Ca(ReO <sub>4</sub> ) <sub>2</sub>	13768-54-2
2004	Calcium bromide, ultra dry , 99.978% (metals basis)	-10 mesh beads	CaBr <sub>2</sub>	7789-41-5
2005	Calcium bromide, ultra dry , 99.98% (metals basis)	-10 mesh beads	CaBr <sub>2</sub>	7789-41-5
2007	Calcium bromide, ultra dry , 99.999% (metals basis)	powder	CaBr <sub>2</sub>	7789-41-5
2006	Calcium bromide, ultra dry, 99.99% (metals basis)	powder	CaBr <sub>2</sub>	7789-41-5
2008	Calcium bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	CaBr <sub>2</sub>	7789-41-5
2009	Calcium bromide hydrate, 99.999% (metals basis)	crystalline	CaBr <sub>2</sub> ·xH <sub>2</sub> O	71626-99-8
2013	Calcium chloride, ultra dry, 99.9% (metals basis)	-10 mesh beads	CaCl <sub>2</sub>	10043-52-4
2012	Calcium chloride, ultra dry, 99.9% (metals basis)	powder	CaCl <sub>2</sub>	10043-52-4
2011	Calcium chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	CaCl <sub>2</sub>	10043-52-4
2010	Calcium chloride, ultra dry, 99.99% (metals basis)	powder	CaCl <sub>2</sub>	10043-52-4
2027	Calcium chloride hydrate, 99.99% (metals basis)	crystalline	CaCl <sub>2</sub> ·xH <sub>2</sub> O	22691-02-7
2029	Calcium chloride hydrate, 99.999% (metals basis)	crystalline	CaCl <sub>2</sub> ·xH <sub>2</sub> O	22691-02-7
2030	Calcium carbonate, 99.95% (metals basis)	powder	CaCO <sub>3</sub>	471-34-1
2028	Calcium carbonate, 99.99% (metals basis)	powder	CaCO <sub>3</sub>	471-34-1

Catalogue	Name, description	Form	Formula	CAS # EN
2014	Calcium chromate, 99.9% (metals basis)	-20 mesh powder	CaCrO <sub>4</sub>	13765-19-0
2017	Calcium fluoride, ultra dry, 99.99% (metals basis)	powder	CaF <sub>2</sub>	7789-75-5
2015	Calcium fluoride, 99.5% (metals basis)	powder	CaF <sub>2</sub>	7789-75-5
2026	Calcium fluoride, anhydrous, 99.9% (metals basis)	powder	CaF <sub>2</sub>	7789-75-5
2016	Calcium fluoride, anhydrous, 99.99% (metals basis)	powder	CaF <sub>2</sub>	7789-75-5
2023	Calcium iodide, anhydrous, 99.5% (metals basis)	flakes	CaI <sub>2</sub>	10102-68-8
2018	Calcium iodide, anhydrous, 99.5% (metals basis)	-20 mesh powder	CaI <sub>2</sub>	10102-68-8
2021	Calcium iodide, anhydrous, 99.99% (metals basis)	powder	CaI <sub>2</sub>	10102-68-8
2019	Calcium iodide, ultra dry, 99.99% (metals basis)	powder	CaI <sub>2</sub>	10102-68-8
2022	Calcium iodide, ultra dry, 99.99% (metals basis)	-10 mesh beads	CaI <sub>2</sub>	10102-68-8
2020	Calcium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	CaI <sub>2</sub>	10102-68-8
2024	Calcium iodide, ultra dry, 99.999% (metals basis)	powder	CaI <sub>2</sub>	10102-68-8
2025	Calcium iodide hydrate	lumps	CaI <sub>2</sub> ·xH <sub>2</sub> O	71626-98-7
4817	Cadmium	granules	Cd	7440-43-9
4801	Cadmium acetate dihydrate, 99.999% (metals basis)	powder	Cd(OOCCH <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O	5743-04-4
4803	Cadmium bromide, ultra dry, 99.99% (metals basis)	-10 mesh beads	CdBr <sub>2</sub>	7789-42-6
4802	Cadmium bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	CdBr <sub>2</sub>	7789-42-6

Catalogue	Name, description	Form	Formula	CAS # EN
4804	Cadmium bromide hydrate, 99.999% (metals basis)	crystalline	CdBr <sub>2</sub> ·xH <sub>2</sub> O	681435-25-6
4805	Cadmium chloride, anhydrous, 99.99% (metals basis)	powder	CdCl <sub>2</sub>	10108-64-2
4810	Cadmium chloride, ultra dry, 99.9% (metals basis)	-10 mesh beads	CdCl <sub>2</sub>	10108-64-2
4807	Cadmium chloride, ultra dry, 99.99% (metals basis)	powder	CdCl <sub>2</sub>	10108-64-2
4811	Cadmium chloride, ultra dry, 99.995% (metals basis)	-10 mesh beads	CdCl <sub>2</sub>	10108-64-2
4806	Cadmium chloride, ultra dry, 99.996% (metals basis)	powder	CdCl <sub>2</sub>	10108-64-2
4808	Cadmium chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	CdCl <sub>2</sub>	10108-64-2
4809	Cadmium chloride, ultra dry, 99.998% (metals basis)	powder	CdCl <sub>2</sub>	10108-64-2
4813	Cadmium iodide, 99.5% (metals basis)	-40 mesh powder	CdI <sub>2</sub>	7790-80-9
4812	Cadmium iodide, ultra dry, 99.9985% (metals basis)	-10 mesh beads	CdI <sub>2</sub>	7790-80-9
4814	Cadmium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	CdI <sub>2</sub>	7790-80-9
4815	Cadmium iodide, ultra dry, 99.999% (metals basis)	powder	CdI <sub>2</sub>	7790-80-9
4818	Cadmium oxide, 99.995% (metals basis)	powder	CdO	1306-19-0
4816	Cadmium oxide, 99.998% (metals basis)	powder	CdO	1306-19-0
5803	Cerium, 97% (metals basis)	ingot	Ce	7440-45-1
5837	Cerium(III) nitrate hexahydrate, 99% (metals basis)	crystalline	Ce(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	10294-41-4
5838	Cerium(III) nitrate hexahydrate, 99.5% (metals basis)	crystalline	Ce(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	10294-41-4
5805	Cerium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Ce(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	10294-41-4

Catalogue	Name, description	Form	Formula	CAS # EN
5839	Cerium(III) nitrate hexahydrate, 99.99% (metals basis)	crystalline	Ce(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	10294-41-4
5804	Cerium(III) nitrate hexahydrate, 99.99% (REO)	crystalline	Ce(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	10294-41-4
5807	Cerium(III) acetate sesquihydrate, 99.9% (REO)	powder	Ce(OOCCH <sub>3</sub> ) <sub>3</sub> ·1,5H <sub>2</sub> O	537-00-8
5808	Cerium(III) acetate sesquihydrate, 99.99% (REO)	powder	Ce(OOCCH <sub>3</sub> ) <sub>3</sub> ·1,5H <sub>2</sub> O	537-00-8
5806	Cerium(III) acetate sesquihydrate, 99.99% (REO)	crystalline	Ce(OOCCH <sub>3</sub> ) <sub>3</sub> ·1,5H <sub>2</sub> O	537-00-8
5809	Cerium(III) acetate sesquihydrate, 99.995% (REO)	powder	Ce(OOCCH <sub>3</sub> ) <sub>3</sub> ·1,5H <sub>2</sub> O	537-00-8
5810	Cerium(IV) sulfate, anhydrous, 97% (REO)	powder	Ce(SO <sub>4</sub> ) <sub>2</sub>	13590-82-4
5845	Cerium(IV) sulfate hydrate, 98% (REO)	crystalline	Ce(SO <sub>4</sub> ) <sub>2</sub> ·xH <sub>2</sub> O	95838-16-7
5811	Cerium(IV) sulfate hydrate, 99% (REO)	crystalline	Ce(SO <sub>4</sub> ) <sub>2</sub> ·xH <sub>2</sub> O	95838-16-7
5834	Cerium(IV) sulfate hydrate, 99.5% (REO)	crystalline	Ce(SO <sub>4</sub> ) <sub>2</sub> ·xH <sub>2</sub> O	95838-16-7
5813	Cerium(III) carbonate hydrate, 99.99% (REO)	crystalline	Ce <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	54451-25-1
5812	Cerium(III) carbonate hydrate, 99.999% (REO)	crystalline	Ce <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	54451-25-1
5843	Cerium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Ce <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	10450-59-6
5814	Cerium(III) sulfate octahydrate, 99.999% (REO)	crystalline	Ce <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	10450-59-6
5816	Cerium(III) bromide, ultra dry, 99.9% (REO)	powder	CeBr <sub>3</sub>	14457-87-5
5818	Cerium(III) bromide, ultra dry, 99.99% (REO)	-10 mesh beads	CeBr <sub>3</sub>	14457-87-5
5817	Cerium(III) bromide, ultra dry, 99.99% (REO)	powder	CeBr <sub>3</sub>	14457-87-5
5815	Cerium(III) bromide, ultra dry, 99.99% (REO)	crystalline	CeBr <sub>3</sub>	14457-87-5
5836	Cerium(III) bromide hydrate, 99.99% (REO)	crystalline	CeBr <sub>3</sub> ·xH <sub>2</sub> O	13454-68-7

Catalogue	Name, description	Form	Formula	CAS # EN
5820	Cerium(III) chloride, anhydrous, 99.5% (REO)	powder	CeCl <sub>3</sub>	7790-86-5
5846	Cerium(III) chloride, anhydrous, 99.9% (REO)	powder	CeCl <sub>3</sub>	7790-86-5
5819	Cerium(III) chloride, ultra dry, 99.9% (REO)	crystalline	CeCl <sub>3</sub>	7790-86-5
5822	Cerium(III) chloride, ultra dry, 99.9% (REO)	-10 mesh beads	CeCl <sub>3</sub>	7790-86-5
5821	Cerium(III) chloride, ultra dry, 99.9% (REO)	powder	CeCl <sub>3</sub>	7790-86-5
5824	Cerium(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	CeCl <sub>3</sub>	7790-86-5
5825	Cerium(III) chloride, ultra dry, 99.99% (REO)	crystalline	CeCl <sub>3</sub>	7790-86-5
5841	Cerium(III) chloride heptahydrate, 99.9% (REO)	crystalline	CeCl <sub>3</sub> ·7H <sub>2</sub> O	18618-55-8
5842	Cerium(III) chloride heptahydrate, 99.99% (REO)	crystalline	CeCl <sub>3</sub> ·7H <sub>2</sub> O	18618-55-8
5826	Cerium(III) chloride hydrate, 99.9% (REO)	crystalline	CeCl <sub>3</sub> ·7H <sub>2</sub> O	19423-76-8
5827	Cerium(III) chloride hydrate, 99.99% (REO)	crystalline	CeCl <sub>3</sub> ·7H <sub>2</sub> O	19423-76-8
5828	Cerium(III) fluoride, anhydrous, 99.9% (REO)	powder	CeF <sub>3</sub>	7758-88-5
5829	Cerium(III) fluoride, anhydrous, 99.99% (REO)	powder	CeF <sub>3</sub>	7758-88-5
5830	Cerium(III) iodide, ultra dry, 99.9% (REO)	powder	CeI <sub>3</sub>	7790-87-6
5831	Cerium(III) iodide, ultra dry, 99.9% (REO)	-10 mesh beads	CeI <sub>3</sub>	7790-87-6
5844	Cerium(III) iodide, ultra dry, 99.99% (REO)	-10 mesh beads	CeI <sub>3</sub>	7790-87-6
5832	Cerium(IV) oxide, 99.5% (REO)	powder	CeO <sub>2</sub>	1306-38-3
5833	Cerium(IV) oxide, 99.95% (REO)	powder	CeO <sub>2</sub>	1306-38-3
5835	Cerium(IV) oxide, 99.99% (REO)	powder	CeO <sub>2</sub>	1306-38-3

Catalogue	Name, description	Form	Formula	CAS # EN
5840	Cerium(IV) oxide, 99.995% (REO)	powder	CeO <sub>2</sub>	1306-38-3
2720	Cobalt	lump	Co	7440-48-4
2721	Cobalt(II) nitrate hexahydrate, 99.99% (metals basis)	crystalline	Co(NO <sub>3</sub> ) <sub>2</sub> ·6H <sub>2</sub> O	10026-22-9
2701	Cobalt(II) bromide, anhydrous, 97% (metals basis)	crystalline	CoBr <sub>2</sub>	7789-43-7
2718	Cobalt(II) bromide, anhydrous, 99% (metals basis)	crystalline	CoBr <sub>2</sub>	7789-43-7
2702	Cobalt(II) bromide, ultra dry, 99.99% (metals basis)	-10 mesh beads	CoBr <sub>2</sub>	7789-43-7
2703	Cobalt(II) bromide, ultra dry, 99.99% (metals basis)	powder	CoBr <sub>2</sub>	7789-43-7
2719	Cobalt(II) bromide hydrate	0	CoBr <sub>2</sub> ·xH <sub>2</sub> O	85017-77-2
2707	Cobalt(II) chloride, anhydrous, 99.5% (metals basis)	powder	CoCl <sub>2</sub>	7646-79-9
2704	Cobalt(II) chloride, anhydrous, 99.7% (metals basis)	powder	CoCl <sub>2</sub>	7646-79-9
2722	Cobalt(II) chloride, anhydrous, 99+% (metals basis)	powder	CoCl <sub>2</sub>	7646-79-9
2708	Cobalt(II) chloride, ultra dry, 99.8% (metals basis)	-10 mesh beads	CoCl <sub>2</sub>	7646-79-9
2705	Cobalt(II) chloride, ultra dry, 99.9% (metals basis)	-10 mesh beads	CoCl <sub>2</sub>	7646-79-9
2709	Cobalt(II) chloride, ultra dry, 99.9% (metals basis)	powder	CoCl <sub>2</sub>	7646-79-9
2706	Cobalt(II) chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	CoCl <sub>2</sub>	7646-79-9
2710	Cobalt(II) chloride, ultra dry, 99.999% (metals basis)	-10 mesh beads	CoCl <sub>2</sub>	7646-79-9
2711	Cobalt(II) chloride hexahydrate, 99.998% (metals basis)	crystalline	CoCl <sub>2</sub> ·6H <sub>2</sub> O	7791-13-1
2712	Cobalt(II) fluoride, ultra dry, 99.99% (metals basis)	powder	CoF <sub>2</sub>	10026-17-2

Catalogue	Name, description	Form	Formula	CAS # EN
2713	Cobalt(II) iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	CoI <sub>2</sub>	15238-00-3
2717	Cobalt(II) iodide, ultra dry, 99.999% (metals basis)	powder	CoI <sub>2</sub>	15238-00-3
2716	Cobalt titanium oxide, 99.5% (metals basis)	-325 mesh powder	CoTiO <sub>3</sub>	12017-01-5
2714	Cobalt titanium oxide, 99.8% (metals basis)	-325 mesh powder	CoTiO <sub>3</sub>	12017-01-5
2715	Cobalt titanium oxide, 99.9% (metals basis)	-325 mesh powder	CoTiO <sub>3</sub>	12017-01-5
2401	Chromium, 99.99% (metals basis)	powder	Cr	7440-47-3
2406	0	powder	Cr <sub>2</sub> O <sub>3</sub>	1308-38-9
2402	Chromium(II) chloride, 99.9% (metals basis)	-80 mesh powder	CrCl <sub>2</sub>	10049-05-5
2403	Chromium(II) chloride, anhydrous, 99.9+% (metals basis)	powder	CrCl <sub>2</sub>	10049-05-5
2404	Chromium(II) chloride, anhydrous, 99.99% (metals basis)	powder	CrCl <sub>2</sub>	10049-05-5
2405	Chromium(III) chloride, anhydrous, 98% (metals basis)	crystalline/powder	CrCl <sub>3</sub>	10025-73-7
5505	Cesium, 99.8% (metals basis)	breakseal	Cs	7440-46-2
5501	Cesium, 99.8% (metals basis)	standard	Cs	7440-46-2

Catalogue	Name, description	Form	Formula	CAS # EN
5504	Cesium, 99.9% (metals basis)	breakseal	Cs	7440-46-2
5543	Cesium, 99.9% (metals basis)	standard	Cs	7440-46-2
5502	Cesium, 99.98% (metals basis)	breakseal	Cs	7440-46-2
5506	Cesium, 99.98% (metals basis)	standard	Cs	7440-46-2
5507	Cesium, 99.99% (metals basis)	breakseal	Cs	7440-46-2
5508	Cesium, 99.99% (metals basis)	standard	Cs	7440-46-2
5503	Cesium, 99.995% (metals basis)	breakseal	Cs	7440-46-2
5509	Cesium carbonate, 99% (metals basis)	powder	Cs <sub>2</sub> CO <sub>3</sub>	534-17-8
5510	Cesium carbonate, 99.9% (metals basis)	powder	Cs <sub>2</sub> CO <sub>3</sub>	534-17-8
5511	Cesium carbonate, 99.99% (metals basis)	powder	Cs <sub>2</sub> CO <sub>3</sub>	534-17-8
5547	Cesium carbonate, 99.998% (metals basis)	powder	Cs <sub>2</sub> CO <sub>3</sub>	534-17-8
5512	Cesium carbonate, 99.999% (metals basis)	powder	Cs <sub>2</sub> CO <sub>3</sub>	534-17-8
5513	Cesium chromate, 99.9% (metals basis)	powder	Cs <sub>2</sub> CrO <sub>4</sub>	13454-78-9
5542	Cesium sulfite, 99.9% (metals basis)	crystalline	Cs <sub>2</sub> SO <sub>3</sub>	10294-54-9
5515	Cesium bromide, 99% (metals basis)	crystalline	CsBr	7787-69-1
5517	Cesium bromide, 99.9% (metals basis)	crystalline	CsBr	7787-69-1
5516	Cesium bromide, 99.999% (metals basis)	crystalline	CsBr	7787-69-1
5514	Cesium bromide, ultra dry, 99.9% (metals basis)	-10 mesh beads	CsBr	7787-69-1
5521	Cesium bromide, ultra dry, 99.9% (metals basis)	powder	CsBr	7787-69-1

Catalogue	Name, description	Form	Formula	CAS # EN
5519	Cesium bromide, ultra dry, 99.99% (metals basis)	-10 mesh beads	CsBr	7787-69-1
5522	Cesium bromide, ultra dry, 99.99% (metals basis)	powder	CsBr	7787-69-1
5520	Cesium bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	CsBr	7787-69-1
5527	Cesium chloride, 99.9% (metals basis)	crystalline	CsCl	7647-17-8
5526	Cesium chloride, 99.99% (metals basis)	crystalline	CsCl	7647-17-8
5545	Cesium chloride, 99.998% (metals basis)	crystalline	CsCl	7647-17-8
5544	Cesium chloride, 99.999% (metals basis)	crystalline	CsCl	7647-17-8
5525	Cesium chloride, ultra dry, 99.9% (metals basis)	powder	CsCl	7647-17-8
5528	Cesium chloride, ultra dry, 99.9% (metals basis)	-10 mesh beads	CsCl	7647-17-8
5523	Cesium chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	CsCl	7647-17-8
5529	Cesium chloride, ultra dry, 99.99% (metals basis)	powder	CsCl	7647-17-8
5524	Cesium chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	CsCl	7647-17-8
5530	Cesium chloride, ultra dry, 99.998% (metals basis)	powder	CsCl	7647-17-8
5531	Cesium fluoride, 99.9% (metals basis)	powder/lumps	CsF	13400-13-0
5532	Cesium iodide, 99.9% (metals basis)	crystalline	CsI	7789-17-5
5534	Cesium iodide, 99.99% (metals basis)	powder	CsI	7789-17-5
5535	Cesium iodide, ultra dry, 99.9% (metals basis)	-10 mesh beads	CsI	7789-17-5
5536	Cesium iodide, ultra dry, 99.995% (metals basis)	-10 mesh beads	CsI	7789-17-5
5533	Cesium iodide, ultra dry, 99.998% (metals basis)	-10 mesh beads	CsI	7789-17-5

Catalogue	Name, description	Form	Formula	CAS # EN
5537	Cesium iodide, ultra dry, 99.998% (metals basis)	powder	CsI	7789-17-5
5538	Cesium nitrate, 99.8% (metals basis)	crystalline	CsNO3	7789-18-6
5546	Cesium nitrate, 99.9% (metals basis)	crystalline	CsNO3	7789-18-6
5539	Cesium nitrate, 99.99% (metals basis)	crystalline	CsNO3	7789-18-6
5540	Cesium nitrate, 99.999% (metals basis)	crystalline	CsNO3	7789-18-6
5541	Cesium acetate, 99.9% (metals basis)	crystalline	CsOOCCH3	3396-11-0
2901	Copper, 99.99% (metals basis)	powder	Cu	7440-50-8
2902	Copper, 99.998% (metals basis)	powder	Cu	7440-50-8
2904	Copper(II) nitrate hydrate, 99.99% (metals basis)	crystalline	Cu(NO3)2·xH2O	13778-31-9
2903	Copper(II) nitrate hydrate, 99.999% (metals basis)	crystalline	Cu(NO3)2·xH2O	13778-31-9
2916	Copper(I) bromide, 99.9% (metals basis)	powder	CuBr	7787-70-4
2905	Copper(I) bromide, 99.998% (metals basis)	powder	CuBr	7787-70-4
2915	Copper(II) bromide, 99.9%	crystalline	CuBr2	7789-45-9
2907	Copper(I) chloride, 99% (metals basis)	-80 mesh powder	CuCl	7758-89-6
2914	Copper(I) chloride, 99.99% (metals basis)	powder	CuCl	7758-89-6
2906	Copper(I) chloride, 99.999% (metals basis)	powder	CuCl	7758-89-6
2916	Copper(I) chloride, 99.999% (metals basis)	-10 mesh beads	CuCl	0
2908	Copper(II) chloride, ultra dry, 99.995% (metals basis)	powder	CuCl2	7447-39-4

Catalogue	Name, description	Form	Formula	CAS # EN
2913	Copper(I) iodide, 99.9% (metals basis)	powder	CuI	7681-65-4
2909	Copper(I) iodide, 99.995% (metals basis)	powder	CuI	7681-65-4
2910	Copper(I) iodide, 99.999% (metals basis)	powder	CuI	7681-65-4
2911	Copper(II) oxide, 99.99% (metals basis)	powder	CuO	1317-38-0
2912	Copper(II) selenide, 99.99% (metals basis)	powder	CuSe	1317-41-5
6601	Dysprosium, 99.7% (metals basis)	ingot	Dy	7429-91-6
6602	Dysprosium(III) nitrate pentahydrate, 99.9% (REO)	crystalline	Dy(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O	10031-49-9
6603	Dysprosium(III) nitrate pentahydrate, 99.99% (REO)	crystalline	Dy(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O	10031-49-9
6630	Dysprosium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Dy(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	35725-30-5
6624	Dysprosium(III) nitrate hydrate, 99.9% (REO)	crystalline	Dy(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-13-2
6604	Dysprosium(III) acetate tetrahydrate, 99.9% (REO)	powder	Dy(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	15280-55-4
6606	Dysprosium(III) acetate tetrahydrate, 99.99% (REO)	powder	Dy(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	15280-55-4
6605	Dysprosium(III) acetate tetrahydrate, 99.99% (REO)	crystalline	Dy(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	15280-55-4
6629	Dysprosium(III) oxalate decahydrate, 99.9% (REO)	powder	Dy <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	24670-07-3
6627	Dysprosium(III) oxalate hydrate, 99.99% (REO)	crystalline	Dy <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-69-5
6607	Dysprosium(III) carbonate tetrahydrate, 99.9% (REO)	powder	Dy <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	38245-35-1
6608	Dysprosium(III) carbonate tetrahydrate, 99.99% (REO)	powder	Dy <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	38245-35-1
6628	Dysprosium(III) sulfate octahydrate, 99.99% (REO)	crystalline	Dy <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	10031-50-2
6610	Dysprosium(III) oxide, 99.9% (REO)	powder	Dy <sub>2</sub> O <sub>3</sub>	1308-87-8

Catalogue	Name, description	Form	Formula	CAS # EN
6609	Dysprosium(III) oxide, 99.99% (REO)	powder	Dy <sub>2</sub> O <sub>3</sub>	1308-87-8
6611	Dysprosium(III) oxide, 99.995% (REO)	powder	Dy <sub>2</sub> O <sub>3</sub>	1308-87-8
6612	Dysprosium(III) bromide, ultra dry, 99.99% (metals basis)	-10 mesh beads	DyBr <sub>3</sub>	14456-48-5
6613	Dysprosium(III) bromide, ultra dry, 99.99% (REO)	powder	DyBr <sub>3</sub>	14456-48-5
6626	Dysprosium(III) bromide hydrate, 99.99% (REO)	crystalline	DyBr <sub>3</sub> ·xH <sub>2</sub> O	29843-91-2
6615	Dysprosium(III) chloride, anhydrous, 99.95% (REO)	powder	DyCl <sub>3</sub>	10025-74-8
6614	Dysprosium(III) chloride, ultra dry, 99.98% (REO)	powder	DyCl <sub>3</sub>	10025-74-8
6616	Dysprosium(III) chloride, ultra dry, 99.99% (REO)	powder	DyCl <sub>3</sub>	10025-74-8
6618	Dysprosium(III) chloride hydrate, 99.9% (REO)	crystalline	DyCl <sub>3</sub> ·xH <sub>2</sub> O	15059-52-6
6617	Dysprosium(III) chloride hydrate, 99.99% (REO)	crystalline	DyCl <sub>3</sub> ·xH <sub>2</sub> O	15059-52-6
6620	Dysprosium(III) fluoride, anhydrous, 99.9% (REO)	powder	DyF <sub>3</sub>	13569-80-7
6619	Dysprosium(III) fluoride, anhydrous, 99.9% (REO)	crystalline lumps	DyF <sub>3</sub>	13569-80-7
6625	Dysprosium(III) fluoride, anhydrous, 99.98% (REO)	powder	DyF <sub>3</sub>	13569-80-7
6621	Dysprosium(III) fluoride, anhydrous, 99.99% (REO)	powder	DyF <sub>3</sub>	13569-80-7
6622	Dysprosium(III) iodide, ultra dry, 99.99% (REO)	flakes	DyI <sub>3</sub>	15474-63-2
6623	Dysprosium(III) iodide, ultra dry, 99.99% (REO)	powder	DyI <sub>3</sub>	15474-63-2
6801	Erbium, 99.7% (metals basis)	shots	Er	7440-52-0

Catalogue	Name, description	Form	Formula	CAS # EN
6823	Erbium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Er(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	13476-05-6
6802	Erbium(III) nitrate hydrate, 99.9% (REO)	crystalline	Er(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	10031-51-3
6803	Erbium(III) nitrate hydrate, 99.99% (REO)	crystalline	Er(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	10031-51-3
6804	Erbium(III) acetate tetrahydrate, 99.9% (REO)	crystalline	Er(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	15280-57-6
6826	Erbium(III) acetate tetrahydrate, 99.99% (REO)	crystalline	Er(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	15280-57-6
6825	Erbium(III) oxalate decahydrate, 99.99% (REO)	powder	Er <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	30618-31-6
6805	Erbium(III) oxalate hydrate, 99.9% (REO)	crystalline	Er <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-72-0
6806	Erbium(III) oxalate hydrate, 99.99% (REO)	crystalline	Er <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-72-0
6807	Erbium(III) carbonate hydrate, 99.9% (REO)	powder	Er <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	22992-83-2
6824	Erbium(III) sulfate hydrate, 99.9% (REO)	crystalline	Er <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	20814-10-2
6827	Erbium(III) oxide, 99.9% (REO)	powder	Er <sub>2</sub> O <sub>3</sub>	12061-16-4
6808	Erbium(III) oxide, 99.99% (REO)	powder	Er <sub>2</sub> O <sub>3</sub>	12061-16-4
9904	Erbium nickel alloy	granules	Er <sub>3</sub> Ni	0
6809	Erbium(III) bromide, ultra dry, 99.99%	powder	ErBr <sub>3</sub>	13536-73-7
6810	Erbium(III) bromide hydrate, 99.99% (REO)	crystalline	ErBr <sub>3</sub> ·xH <sub>2</sub> O	29843-93-4
6811	Erbium(III) chloride, anhydrous, 99.9% (REO)	-10 mesh beads	ErCl <sub>3</sub>	10138-41-7
6814	Erbium(III) chloride, anhydrous, 99.9% (REO)	powder	ErCl <sub>3</sub>	10138-41-7
6812	Erbium(III) chloride, ultra dry, 99.9% (REO)	powder	ErCl <sub>3</sub>	10138-41-7
6815	Erbium(III) chloride, ultra dry, 99.9% (REO)	-10 mesh beads	ErCl <sub>3</sub>	10138-41-7

Catalogue	Name, description	Form	Formula	CAS # EN
6813	Erbium(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	ErCl <sub>3</sub>	10138-41-7
6816	Erbium(III) chloride, ultra dry, 99.99% (REO)	powder	ErCl <sub>3</sub>	10138-41-7
6829	Erbium(III) chloride, ultra dry, 99.995% (REO)	powder	ErCl <sub>3</sub>	10138-41-7
6828	Erbium(III) chloride, ultra dry, 99.999% (REO)	crystalline	ErCl <sub>3</sub>	10138-41-7
6818	Erbium(III) chloride hydrate, 99.9% (REO)	crystalline	ErCl <sub>3</sub> ·xH <sub>2</sub> O	19423-85-9
6817	Erbium(III) chloride hydrate, 99.99% (REO)	crystalline	ErCl <sub>3</sub> ·xH <sub>2</sub> O	19423-85-9
6820	Erbium(III) fluoride, anhydrous, 99.9% (REO)	powder	ErF <sub>3</sub>	13760-83-3
6819	Erbium(III) fluoride, anhydrous, 99.99% (REO)	powder	ErF <sub>3</sub>	13760-83-3
6821	Erbium(III) iodide, anhydrous, 99.99% (REO)	powder	ErI <sub>3</sub>	13813-42-8
6822	Erbium(III) iodide, ultra dry, 99.9% (REO)	powder	ErI <sub>3</sub>	13813-42-8
6830	Erbium(III) iodide, ultra dry, 99.99% (REO)	powder	ErI <sub>3</sub>	13813-42-8
6301	Europium, 99.9% (metals basis)	ingot	Eu	7440-53-1
6302	Europium, 99.99% (metals basis)	ingot	Eu	7440-53-1
6304	Europium(III) nitrate hydrate, 99.9% (REO)	crystalline	Eu(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100587-95-9
6303	Europium(III) nitrate hydrate, 99.99% (REO)	crystalline	Eu(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100587-95-9
6305	Europium(III) acetate hydrate, 99.9% (REO)	powder	Eu(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	62667-64-5
6306	Europium(III) acetate hydrate, 99.99% (REO)	powder	Eu(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	62667-64-5
6326	Europium(III) oxalate hydrate, 99.9% (REO)	crystalline	Eu <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	304675-55-6
6307	Europium(III) oxalate hydrate, 99.99% (REO)	crystalline	Eu <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	304675-55-6

Catalogue	Name, description	Form	Formula	CAS # EN
6308	Europium(III) carbonate hydrate, 99.99% (REO)	powder	$\text{Eu}_2(\text{CO}_3)_3 \cdot x\text{H}_2\text{O}$	86546-99-8
6309	Europium(III) sulfate octahydrate, 99.99% (REO)	crystalline	$\text{Eu}_2(\text{SO}_4)_3 \cdot 8\text{H}_2\text{O}$	10031-55-7
6310	Europium(III) oxide, 99.99% (REO)	powder	$\text{Eu}_2\text{O}_3$	1308-96-9
6312	Europium(III) oxide, 99.999% (REO)	powder	$\text{Eu}_2\text{O}_3$	1308-96-9
6311	Europium(III) oxide, 99.999% (REO)	30-50 nm powder	$\text{Eu}_2\text{O}_3$	1308-96-9
6313	Europium(III) oxybromide, 99.99% (REO)	powder	$\text{Eu}_3\text{O}_4\text{Br}$	6313
6315	Europium(II) bromide, anhydrous, 99.99% (REO)	powder	$\text{EuBr}_2$	6315
6314	Europium(II) bromide, ultra dry, 99.99% (metals basis)	powder	$\text{EuBr}_2$	6314
6316	Europium(III) bromide hydrate, 99.99% (REO)	crystalline	$\text{EuBr}_3 \cdot x\text{H}_2\text{O}$	6316
6317	Europium(III) chloride, ultra dry, 99.99% (REO)	powder	$\text{EuCl}_3$	6317
6325	Europium(III) chloride hexahydrate, 99.9% (REO)	crystalline	$\text{EuCl}_3 \cdot 6\text{H}_2\text{O}$	6325
6318	Europium(III) chloride hexahydrate, 99.99% (REO)	crystalline	$\text{EuCl}_3 \cdot 6\text{H}_2\text{O}$	6318
6319	Europium(II) fluoride, anhydrous, 99.9% (metals basis)	-200 mesh powder	$\text{EuF}_2$	6319
6320	Europium(III) fluoride, anhydrous, 99.9% (REO)	crystalline	$\text{EuF}_3$	6320
6321	Europium(III) fluoride, anhydrous, 99.98% (REO)	powder	$\text{EuF}_3$	6321
6327	Europium(III) fluoride, anhydrous, 99.99% (REO)	powder	$\text{EuF}_3$	6327
6323	Europium(II) iodide, ultra dry, 99.99% (REO)	-10 mesh	$\text{EuI}_2$	6323

Catalogue	Name, description	Form	Formula	CAS # EN
		powder		
6322	Europium(II) iodide, ultra dry, 99.999% (REO)	-10 mesh beads	EuI <sub>2</sub>	6322
6324	Europium(III) oxybromide, 99.99% (REO)	powder	EuOBr	6324
2601	Iron	powder	Fe	2601
2602	Iron, 99.99% (metals basis)	powder	Fe	2602
2603	Iron(III) oxide, 99.99% (metals basis)	powder	Fe <sub>2</sub> O <sub>3</sub>	2603
2605	Iron(II) bromide, anhydrous, 99.98% (metals basis)	powder	FeBr <sub>2</sub>	2605
2604	Iron(II) bromide, ultra dry, 99.995% (metals basis)	-10 mesh beads	FeBr <sub>2</sub>	2604
2606	Iron(II) bromide, ultra dry, 99.995% (metals basis)	powder	FeBr <sub>2</sub>	2606
2608	Iron(II) chloride, anhydrous, 99.5% (metals basis)	powder	FeCl <sub>2</sub>	2608
2613	Iron(II) chloride, anhydrous, 99.9% (metals basis)	powder	FeCl <sub>2</sub>	2613
2607	Iron(II) chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	FeCl <sub>2</sub>	2607
2614	Iron(II) chloride tetrahydrate, 99.99% (metals basis)	crystalline	FeCl <sub>2</sub> ·4H <sub>2</sub> O	2614
2609	Iron(II) iodide, anhydrous, 97% (metals basis)	crystalline	FeI <sub>2</sub>	2609
2610	Iron(II) iodide, ultra dry, 99.99% (metals basis)	-10 mesh beads	FeI <sub>2</sub>	2610
2611	Iron(II) iodide, ultra dry, 99.99% (metals basis)	powder	FeI <sub>2</sub>	2611
2612	Iron(II) iodide, ultra dry, 99.999% (metals basis)	powder	FeI <sub>2</sub>	2612
3119	Gallium, 99.99% (metals basis)	ingot	Ga	3119
3101	Gallium, 99.999% (metals basis)	ingot	Ga	3101

Catalogue	Name, description	Form	Formula	CAS # EN
3102	Gallium, 99.9999% (metals basis)	ingot	Ga	3102
3103	Gallium(III) nitrate hydrate, 99.9% (metals basis)	crystalline	Ga(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	3103
3117	Gallium(III) nitrate hydrate, 99.99% (metals basis)	crystalline	Ga(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	3117
3104	Gallium(III) nitrate hydrate, 99.999% (metals basis)	crystalline	Ga(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	3104
3120	Gallium(III) sulfate hydrate, 99.99% (metals basis)	crystalline	Ga <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	3120
3115	Gallium(III) sulfate hydrate, 99.999% (metals basis)	crystalline	Ga <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	3115
3105	Gallium(II) chloride, ultra dry, 99.999% (metals basis)	powder	Ga <sub>2</sub> Cl <sub>4</sub>	3105
3106	Gallium(III) oxide, 99.99% (metals basis)	-50 mesh powder	Ga <sub>2</sub> O <sub>3</sub>	3106
3118	Gallium(III) oxide, 99.998% (metals basis)	powder	Ga <sub>2</sub> O <sub>3</sub>	3118
3107	Gallium(III) oxide, 99.999% (metals basis)	-325 mesh powder	Ga <sub>2</sub> O <sub>3</sub>	3107
3108	Gallium(III) oxide, 99.999% (metals basis)	-50 mesh powder	Ga <sub>2</sub> O <sub>3</sub>	3108
3109	Gallium(III) bromide, ultra dry, 99.998% (metals basis)	crystalline	GaBr <sub>3</sub>	3109
3110	Gallium(III) bromide, ultra dry, 99.999% (metals basis)	crystalline	GaBr <sub>3</sub>	3110
3111	Gallium(II) chloride, ultra dry, 99.999% (metals basis)	powder	GaCl <sub>2</sub>	3111
3112	Gallium(III) chloride, ultra dry, 99.999% (metals basis)	crystalline	GaCl <sub>3</sub>	3112
3113	Gallium(III) chloride, ultra dry, 99.999% (metals basis)	granules	GaCl <sub>3</sub>	3113

Catalogue	Name, description	Form	Formula	CAS # EN
3114	Gallium(III) iodide, ultra dry, 99.999% (metals basis)	powder	Gal3	3114
6426	0	ingot	Gd	6426
6401	Gadolinium, 99.9% (metals basis)	ingot	Gd	6401
6423	Gadolinium(III) nitrate hydrate, 99.9% (REO)	crystalline	Gd(NO3)3·xH2O	6423
6402	Gadolinium(III) nitrate hydrate, 99.99% (REO)	crystalline	Gd(NO3)3·xH2O	6402
6403	Gadolinium(III) nitrate hydrate, 99.999% (REO)	crystalline	Gd(NO3)3·xH2O	6403
6404	Gadolinium(III) acetate hydrate, 99.9% (REO)	crystalline	Gd(OOCCH3)3·xH2O	6404
6424	Gadolinium(III) acetate hydrate, 99.99% (REO)	powder	Gd(OOCCH3)3·xH2O	6424
6405	Gadolinium(III) oxalate hydrate, 99.9% (REO)	powder	Gd2(C2O4)3·xH2O	6405
6406	Gadolinium(III) carbonate hydrate, 99% (REO)	powder	Gd2(CO3)3·xH2O	6406
6407	Gadolinium(III) carbonate hydrate, 99.99% (REO)	powder	Gd2(CO3)3·xH2O	6407
6408	Gadolinium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Gd2(SO4)3·8H2O	6408
6411	Gadolinium(III) oxide, 99.9% (REO)	<10 micron powder	Gd2O3	12064-62-9
6412	Gadolinium(III) oxide, 99.99% (REO)	<10 micron powder	Gd2O3	12064-62-9
6410	Gadolinium(III) oxide, 99.99% (REO)	20-40 nm powder	Gd2O3	12064-62-9
6409	Gadolinium(III) oxide, 99.999% (REO)	<10 micron powder	Gd2O3	12064-62-9

Catalogue	Name, description	Form	Formula	CAS # EN
6413	Gadolinium(III) oxide, 99.999% (REO)	20-40 nm powder	Gd <sub>2</sub> O <sub>3</sub>	12064-62-9
6415	Gadolinium(III) bromide, ultra dry, 99.9% (REO)	powder	GdBr <sub>3</sub>	13818-75-2
6414	Gadolinium(III) bromide, ultra dry, 99.99% (REO)	powder	GdBr <sub>3</sub>	13818-75-2
6416	Gadolinium(III) bromide hydrate, 99.99% (REO)	crystalline	GdBr <sub>3</sub> ·xH <sub>2</sub> O	30010-20-9
6417	Gadolinium(III) chloride, ultra dry, 99.99% (REO)	powder	GdCl <sub>3</sub>	10138-52-0
6425	Gadolinium(III) chloride, ultra dry, 99.999% (REO)	crystalline	GdCl <sub>3</sub>	10138-52-0
6418	Gadolinium(III) chloride hexahydrate, 99.9% (REO)	crystalline	GdCl <sub>3</sub> ·6H <sub>2</sub> O	13450-84-5
6419	Gadolinium(III) chloride hexahydrate, 99.99% (REO)	crystalline	GdCl <sub>3</sub> ·6H <sub>2</sub> O	13450-84-5
6421	Gadolinium(III) fluoride, anhydrous, 99.9% (REO)	powder	GdF <sub>3</sub>	13765-26-9
6420	Gadolinium(III) fluoride, anhydrous, 99.99% (REO)	powder	GdF <sub>3</sub>	13765-26-9
6422	Gadolinium(III) iodide, ultra dry, 99.99% (REO)	powder	GdI <sub>3</sub>	13572-98-0
3207	Germanium (metals basis)	ingot	Ge	7440-56-4
3201	Germanium(IV) bromide, 99.999% (metals basis)	solid/liquid	GeBr <sub>4</sub>	13450-92-5
3205	Germanium(IV) chloride, 99.999% (metals basis)	liquid	GeCl <sub>4</sub>	10038-98-9
3202	Germanium(IV) chloride, 99.9999% (metals basis)	liquid	GeCl <sub>4</sub>	10038-98-9
3208	Germanium(II) iodide, 99.99+% (metals basis)	0	GeI <sub>2</sub>	13573-08-5
3209	Germanium(IV) iodide, 99.99+% (metals basis)	0	GeI <sub>4</sub>	13450-95-8
3210	Germanium(IV) oxide, 99.99% (metals basis)	powder	GeO <sub>2</sub>	1310-53-8

Catalogue	Name, description	Form	Formula	CAS # EN
3206	Germanium(IV) oxide, 99.999% (metals basis)	-40 mesh powder	GeO <sub>2</sub>	1310-53-8
3203	Germanium(IV) oxide, 99.9999% (metals basis)	-40 mesh powder	GeO <sub>2</sub>	1310-53-8
3204	Germanium(II) sulfide, 99.99+% (metals basis)	crystalline	GeS	12025-32-0
7201	Hafnium bromide, ultra dry, 98.5% (metals basis)	powder	HfBr <sub>4</sub>	13777-22-5
7202	Hafnium bromide, ultra dry, 99.99% (metals basis excluding Zr)	powder	HfBr <sub>4</sub>	13777-22-5
7204	Hafnium chloride, 98.5% (metals basis excluding Zr)	powder	HfCl <sub>4</sub>	13499-05-3
7203	Hafnium chloride, 99.9% (metals basis, Zr<0.5%)	powder	HfCl <sub>4</sub>	13499-05-3
7208	Hafnium chloride, 99.99% (metals basis excluding Zr)	powder	HfCl <sub>4</sub>	13499-05-3
7205	Hafnium(IV) iodide, ultra dry, 98.5% (metals basis excluding Zr)	powder	HfI <sub>4</sub>	13777-23-6
7206	Hafnium(IV) iodide, ultra dry, 99.9% (metals basis excluding Zr)	powder	HfI <sub>4</sub>	13777-23-6
7209	Hafnium oxynitrate dihydrate (metals basis excluding Zr)	crystalline	HfO(NO <sub>3</sub> ) <sub>2</sub> ·2H <sub>2</sub> O	15060-56-7
7207	Hafnium(IV) oxide, 99.9% (metals basis excluding Zr)	powder	HfO <sub>2</sub>	12055-23-1
7210	Hafnium oxychloride	crystalline	HfOCl <sub>2</sub>	x
6701	Holmium, 99.7% (metals basis)	ingot	Ho	7440-60-0

Catalogue	Name, description	Form	Formula	CAS # EN
6702	Holmium(III) nitrate pentahydrate, 99.9% (REO)	crystalline	Ho(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O	14483-18-2
6724	Holmium(III) nitrate pentahydrate, 99.99% (REO)	crystalline	Ho(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O	14483-18-2
6703	Holmium(III) acetate hydrate, 99.9% (REO)	crystalline	Ho(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	312619-49-1
6723	Holmium(III) acetate hydrate, 99.99% (REO)	crystalline	Ho(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	312619-49-1
6720	Holmium(III) oxalate decahydrate, 99.9% (REO)	crystalline	Ho <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	28965-57-3
6717	Holmium(III) oxalate hydrate, 99.9% (REO)	crystalline	Ho <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-70-8
6704	Holmium(III) carbonate hydrate, 99.9% (REO)	powder	Ho <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	38245-34-0
6718	Holmium(III) sulfate hydrate, 99.9% (REO)	crystalline	Ho <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	15622-40-9
6707	Holmium(III) oxide, 99.9% (REO)	powder	Ho <sub>2</sub> O <sub>3</sub>	12055-62-8
6706	Holmium(III) oxide, 99.99% (REO)	powder	Ho <sub>2</sub> O <sub>3</sub>	12055-62-8
6705	Holmium(III) oxide, 99.995% (REO)	powder	Ho <sub>2</sub> O <sub>3</sub>	12055-62-8
6708	Holmium(III) bromide, ultra dry, 99.99% (REO)	powder	HoBr <sub>3</sub>	13825-76-8
6709	Holmium(III) bromide hydrate, 99.99% (REO)	crystalline	HoBr <sub>3</sub> ·xH <sub>2</sub> O	223911-98-6
6712	Holmium(III) chloride, anhydrous, 99.9% (REO)	-20 mesh crystalline	HoCl <sub>3</sub>	10138-62-2
6711	Holmium(III) chloride, ultra dry, 99.9% (REO)	powder	HoCl <sub>3</sub>	10138-62-2
6710	Holmium(III) chloride, ultra dry, 99.95% (metals basis)	-10 mesh beads	HoCl <sub>3</sub>	10138-62-2
6713	Holmium(III) chloride, ultra dry, 99.99% (REO)	powder	HoCl <sub>3</sub>	10138-62-2
6719	Holmium(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	HoCl <sub>3</sub>	10138-62-2

Catalogue	Name, description	Form	Formula	CAS # EN
6714	Holmium(III) chloride hexahydrate, 99.9% (REO)	crystalline	HoCl <sub>3</sub> ·6H <sub>2</sub> O	14914-84-2
6722	Holmium(III) chloride hexahydrate, 99.99% (REO)	crystalline	HoCl <sub>3</sub> ·6H <sub>2</sub> O	14914-84-2
6721	x	crystalline	HoCl <sub>3</sub> ·xH <sub>2</sub> O	14914-84-2
9902	Holmium copper alloy	granules	HoCu <sub>2</sub>	0
6715	Holmium(III) fluoride, anhydrous, 99.99% (REO)	powder	HoF <sub>3</sub>	13760-78-6
6716	Holmium(III) iodide, ultra dry, 99.99% (REO)	flakes	HoI <sub>3</sub>	13813-41-7
5301	Iodine, ultra dry, 99.999% (metals basis)	crystalline	I <sub>2</sub>	7553-56-2
4930	Indium, 99.9% (metals basis)	ingot	In	7440-74-6
4901	Indium, 99.99% (metals basis)	ingot	In	7440-74-6
4927	Indium, 99.999% (metals basis)	ingot	In	7440-74-6
4902	Indium, 99.9999% (metals basis)	ingot	In	7440-74-6
4924	Indium(III) nitrate hydrate, 99% (metals basis)	crystalline	In(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	207398-97-8
4904	Indium(III) nitrate hydrate, 99.99% (metals basis)	crystalline	In(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	207398-97-8
4903	Indium(III) nitrate hydrate, 99.99% (metals basis)	powder/lumps	In(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	207398-97-8
4905	Indium(III) sulfate, anhydrous, 99.99% (metals basis)	powder	In <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	13464-82-9
4925	Indium(III) sulfate hydrate, 99.99% (metals basis)	lump/powder	In <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	304655-87-6
4928	Indium(III) sulfate hydrate, 99.999% (metals basis)	lump/powder	In <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	304655-87-6
4921	Indium(III) oxide, 99.99% (metals basis)	powder	In <sub>2</sub> O <sub>3</sub>	1312-43-2
4906	Indium(III) oxide, 99.998% (metals basis)	powder	In <sub>2</sub> O <sub>3</sub>	1312-43-2

Catalogue	Name, description	Form	Formula	CAS # EN
4922	Indium(III) oxide, 99.999% (metals basis)	powder	In <sub>2</sub> O <sub>3</sub>	1312-43-2
4907	Indium(I) bromide, ultra dry, 99.998% (metals basis)	-10 mesh beads	InBr	14280-53-6
4909	Indium(I) bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	InBr	14280-53-6
4908	Indium(I) bromide, ultra dry, 99.999% (metals basis)	lumps	InBr	14280-53-6
4910	Indium(III) bromide, anhydrous, 99.99% (metals basis)	crystalline/powder	InBr <sub>3</sub>	13465-09-3
4911	Indium(III) bromide, ultra dry, 99.99% (metals basis)	powder	InBr <sub>3</sub>	13465-09-3
4926	Indium(III) bromide, ultra dry, 99.999% (metals basis)	powder	InBr <sub>3</sub>	13465-09-3
4912	Indium(I) chloride, 99.998% (metals basis)	crystalline	InCl	13465-10-6
4923	Indium(III) chloride, anhydrous, 99.995% (metals basis)	powder	InCl <sub>3</sub>	10025-82-8
4914	Indium(III) chloride, ultra dry, 99.99% (metals basis)	powder	InCl <sub>3</sub>	10025-82-8
4913	Indium(III) chloride, ultra dry, 99.999% (metals basis)	powder	InCl <sub>3</sub>	10025-82-8
4915	Indium(III) chloride hydrate, 99.99% (metals basis)	crystalline	InCl <sub>3</sub> ·xH <sub>2</sub> O	143983-91-9
4916	Indium(III) fluoride, anhydrous, 99.998% (metals basis)	powder	InF <sub>3</sub>	7783-52-0
4918	Indium(I) iodide, ultra dry, 99.995% (metals basis)	-10 mesh beads	InI	13966-94-4
4917	Indium(I) iodide, ultra dry, 99.998% (metals basis)	-10 mesh beads	InI	13966-94-4
4929	Indium(I) iodide, ultra dry, 99.998% (metals basis)	-10 mesh beads	InI	13966-94-4
4920	Indium(III) iodide, anhydrous, 99.999% (metals basis)	powder	InI <sub>3</sub>	13510-35-5

Catalogue	Name, description	Form	Formula	CAS # EN
4919	Indium(III) iodide, anhydrous, 99.999% (metals basis)	crystalline	InI3	13510-35-5
1902	Potassium, 99.95% (metals basis)	breakseal	K	7440-09-7
1901	Potassium, 99.95% (metals basis)	standard	K	7440-09-7
1903	Potassium, solid, 99.5% (metals basis) in mineral oil	chunks	K	7440-09-7
1904	Potassium carbonate, 99.95% (metals basis)	powder	K2CO3	584-08-7
1905	Potassium chromate, 99.9% (metals basis)	powder	K2CrO4	7789-00-6
1931	Potassium chromate, 99.95% (metals basis)	powder	K2CrO4	7789-00-6
1906	Potassium hexafluorosilicate, 99.999% (metals basis)	crystalline	K2SiF6	16871-90-2
1907	Potassium heptafluorotantalate, 99.99% (metals basis)	powder	K2TaF7	16924-00-8
1912	Potassium bromide, 99.9% (metals basis)	crystalline	KBr	7758-02-3
1908	Potassium bromide, 99.92% (metals basis)	crystalline	KBr	7758-02-3
1909	Potassium bromide, ultra dry, 99.9% (metals basis)	-10 mesh beads	KBr	7758-02-3
1913	Potassium bromide, ultra dry, 99.9% (metals basis)	powder	KBr	7758-02-3
1932	Potassium bromide, ultra dry, 99.9% (metals basis)	crystalline	KBr	7758-02-3
1910	Potassium bromide, ultra dry, 99.95% (metals basis)	powder	KBr	7758-02-3
1911	Potassium bromide, ultra dry, 99.98% (metals basis)	-10 mesh beads	KBr	7758-02-3
1914	Potassium chloride, ultra dry, 99.95% (metals basis)	-10 mesh beads	KCl	7447-40-7
1916	Potassium chloride, ultra dry, 99.995% (metals basis)	powder	KCl	7447-40-7
1917	Potassium chloride, ultra dry, 99.995% (metals basis)	-10 mesh beads	KCl	7447-40-7

Catalogue	Name, description	Form	Formula	CAS # EN
1915	Potassium chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	KCl	7447-40-7
1935	Potassium fluoride, ultra dry, 99.99% (metals basis)	powder	KF	0
1933	0	4 mole/l + 0,4 mole/l I2	KI	0
1919	Potassium iodide, 99.9% (metals basis)	powder	KI	7681-11-0
1920	Potassium iodide, ultra dry, 99.9% (metals basis)	powder	KI	7681-11-0
1921	Potassium iodide, ultra dry, 99.995% (metals basis)	-10 mesh beads	KI	7681-11-0
1918	Potassium iodide, ultra dry, 99.998% (metals basis)	-10 mesh beads	KI	7681-11-0
1922	Potassium iodide, ultra dry, 99.998% (metals basis)	powder	KI	7681-11-0
1934	Potassium iodate, 99.9% (metals basis)	crystalline	KIO3	7758-05-6
1923	Potassium perrhenate, 99.99% (metals basis)	crystalline	KReO4	10466-65-6
1924	Potassium metavanadate, 99.9% (metals basis)	-200 mesh powder	KVO3	13769-43-2
5701	Lanthanum, 99.8% (metals basis)	ingot	La	7439-91-0
5703	Lanthanum(III) nitrate hexahydrate, 99.9% (REO)	crystalline	La(NO3)3·6H2O	10277-43-7
5738	Lanthanum(III) nitrate hexahydrate, 99.9% (REO)	crystalline	La(NO3)3·6H2O	10277-43-7
5704	Lanthanum(III) nitrate hexahydrate, 99.99% (REO)	crystalline	La(NO3)3·6H2O	10277-43-7
5705	Lanthanum(III) nitrate hexahydrate, 99.995% (REO)	crystalline	La(NO3)3·6H2O	10277-43-7
5702	Lanthanum(III) nitrate hexahydrate, 99.999% (REO)	crystalline	La(NO3)3·6H2O	10277-43-7

Catalogue	Name, description	Form	Formula	CAS # EN
5706	Lanthanum(III) acetate sesquihydrate, 99.9% (REO)	powder	La(OOCCH3)3·1,5H2O	25721-92-0
5707	Lanthanum(III) acetate sesquihydrate, 99.99% (REO)	powder	La(OOCCH3)3·1,5H2O	25721-92-0
5709	Lanthanum(III) oxalate decahydrate, 99.99% (REO)	powder	La2(C2O4)3·10H2O	537-03-1
5740	Lanthanum(III) oxalate hydrate, 99.9% (metals basis)	powder	La2(C2O4)3·xH2O	79079-18-8
5708	Lanthanum(III) oxalate hydrate, 99.9% (REO)	powder	La2(C2O4)3·xH2O	79079-18-8
5742	Lanthanum(III) oxalate hydrate, 99.99% (REO)	powder	La2(C2O4)3·xH2O	79079-18-8
5746	Lanthanum(III) carbonate hydrate, 99.9% (REO)	powder	La2(CO3)3·xH2O	54451-24-0
5710	Lanthanum(III) carbonate hydrate, 99.99% (REO)	powder	La2(CO3)3·xH2O	54451-24-0
5739	Lanthanum(III) sulfate, anhydrous, 99.9% (metals basis)	powder	La2(SO4)3	10099-60-2
5711	Lanthanum(III) sulfate, anhydrous, 99.9% (REO)	powder	La2(SO4)3	10099-60-2
5747	Lanthanum(III) sulfate hydrate, 99.9% (REO)	crystalline	La2(SO4)3·xH2O	57804-25-8
5712	Lanthanum(III) sulfate hydrate, 99.99% (REO)	crystalline	La2(SO4)3·xH2O	57804-25-8
5716	Lanthanum(III) oxide, 99.9% (REO)	powder	La2O3	1312-81-8
5714	Lanthanum(III) oxide, 99.99% (REO)	powder	La2O3	1312-81-8
5713	Lanthanum(III) oxide, 99.99% (REO)	-325 mesh powder	La2O3	1312-81-8
5715	Lanthanum(III) oxide, 99.999% (REO)	powder	La2O3	1312-81-8
5719	Lanthanum(III) bromide, ultra dry, 99.9% (REO)	-10 mesh beads	LaBr3	13536-79-3

Catalogue	Name, description	Form	Formula	CAS # EN
5717	Lanthanum(III) bromide, ultra dry, 99.9% (REO)	shots	LaBr3	13536-79-3
5720	Lanthanum(III) bromide, ultra dry, 99.99% (REO)	-10 mesh beads	LaBr3	13536-79-3
5718	Lanthanum(III) bromide, ultra dry, 99.99% (REO)	shots	LaBr3	13536-79-3
5721	Lanthanum(III) bromide hydrate, 99.9% (REO)	crystalline	LaBr3·xH2O	224183-16-8
5722	Lanthanum(III) bromide hydrate, 99.99% (REO)	crystalline	LaBr3·xH2O	224183-16-8
5725	Lanthanum(III) chloride, anhydrous, 99.9% (REO)	-20 mesh powder	LaCl3	10099-58-8
5743	Lanthanum(III) chloride, anhydrous, 99.99% (REO)	-20 mesh powder	LaCl3	10099-58-8
5723	Lanthanum(III) chloride, ultra dry, 99.9% (REO)	-10 mesh beads	LaCl3	10099-58-8
5726	Lanthanum(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	LaCl3	10099-58-8
5727	Lanthanum(III) chloride, ultra dry, 99.99% (REO)	2-8 mm shots	LaCl3	10099-58-8
5724	Lanthanum(III) chloride, ultra dry, 99.99% (REO)	granules	LaCl3	10099-58-8
5744	Lanthanum(III) chloride, ultra dry, 99.999% (REO)	crystalline	LaCl3	10099-58-8
5729	Lanthanum(III) chloride heptahydrate, 99.9% (REO)	crystalline	LaCl3·7H2O	10025-84-0
5741	Lanthanum(III) chloride heptahydrate, 99.99% (metals basis)	crystalline	LaCl3·7H2O	10025-84-0
5728	Lanthanum(III) chloride heptahydrate, 99.99% (REO)	crystalline	LaCl3·7H2O	10025-84-0
5748	Lanthanum(III) chloride heptahydrate, 99.99% (REO)	crystalline	LaCl3·7H2O	10025-84-0

Catalogue	Name, description	Form	Formula	CAS # EN
5731	Lanthanum(III) fluoride, anhydrous, 99.9% (REO)	powder	LaF3	13709-38-1
5749	Lanthanum(III) fluoride, anhydrous, 99.9% (REO)	3-6 mm pieces	LaF3	13709-38-1
5732	Lanthanum(III) fluoride, anhydrous, 99.99% (REO)	powder	LaF3	13709-38-1
5730	Lanthanum(III) fluoride, anhydrous, 99.99% (REO)	crystalline	LaF3	13709-38-1
5733	Lanthanum(III) iodide, ultra dry, 99.9% (REO)	-10 mesh beads	LaI3	13813-22-4
5745	Lanthanum(III) iodide, ultra dry, 99.9% (REO)	powder	LaI3	13813-22-4
5735	Lanthanum(III) iodide, ultra dry, 99.99% (REO)	-10 mesh beads	LaI3	13813-22-4
5734	Lanthanum(III) iodide, ultra dry, 99.995% (REO)	-10 mesh beads	LaI3	13813-22-4
5736	Lanthanum(III) iodide, ultra dry, 99.999% (REO)	-10 mesh beads	LaI3	13813-22-4
5737	Lanthanum(III) nitride, 99.9% (REO)	-60 mesh powder	LaN	25764-10-7
0301	Lithium, 99.5% (metals basis) in oil	0	Li	7439-93-2
0302	Lithium carbonate, 99.99% (metals basis)	powder	Li2CO3	554-13-2
0303	Lithium carbonate, 99.995% (metals basis)	powder	Li2CO3	554-13-2
0334	Lithium carbonate, 99.999% (metals basis)	powder	Li2CO3	554-13-2
0304	Lithium nitride, 99.4% (metals basis)	-60 mesh powder	Li3N	26134-62-3
0309	Lithium bromide, anhydrous, 99.99% (metals basis)	powder	LiBr	7550-35-8
0305	Lithium bromide, anhydrous, 99.99% (metals basis)	powder/granule	LiBr	7550-35-8

Catalogue	Name, description	Form	Formula	CAS # EN
		s		
0307	Lithium bromide, anhydrous, 99.995% (metals basis)	powder	LiBr	7550-35-8
0308	Lithium bromide, ultra dry, 99.9% (metals basis)	-10 mesh beads	LiBr	7550-35-8
0332	Lithium bromide, ultra dry, 99.9% (metals basis)	crystalline	LiBr	7550-35-8
0311	Lithium bromide, ultra dry, 99.995% (metals basis)	-10 mesh beads	LiBr	7550-35-8
0312	Lithium bromide, ultra dry, 99.995% (metals basis)	powder	LiBr	7550-35-8
0313	Lithium bromide, ultra dry, 99.998% (metals basis)	-10 mesh beads	LiBr	7550-35-8
0306	Lithium bromide, ultra dry, 99.998% (metals basis)	powder	LiBr	7550-35-8
0310	Lithium bromide, ultra dry, 99.998% (metals basis)	crystalline	LiBr	7550-35-8
0333	Lithium bromide hydrate, 99.99% (metals basis)	crystalline	LiBr·xH <sub>2</sub> O	85017-82-9
0331	Lithium chloride, anhydrous, 99.99% (metals basis)	crystalline	LiCl	7447-41-8
0314	Lithium chloride, ultra dry, 99.9% (metals basis)	-10 mesh beads	LiCl	7447-41-8
0316	Lithium chloride, ultra dry, 99.9% (metals basis)	crystalline	LiCl	7447-41-8
0339	Lithium chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	LiCl	7447-41-8
0317	Lithium chloride, ultra dry, 99.995% (metals basis)	powder	LiCl	7447-41-8
0315	Lithium chloride, ultra dry, 99.995% (metals basis)	-10 mesh beads	LiCl	7447-41-8
0318	Lithium chloride monohydrate, 99.95% (metals basis)	crystalline	LiCl·H <sub>2</sub> O	16712-20-2
0319	Lithium chloride hydrate, 99.996% (metals basis)	crystalline	LiCl·xH <sub>2</sub> O	85144-11-2
0320	Lithium fluoride, 99.99% (metals basis)	powder	LiF	7789-24-4

Catalogue	Name, description	Form	Formula	CAS # EN
0321	Lithium fluoride, ultra dry, 99.99% (metals basis)	powder	LiF	7789-24-4
0322	Lithium iodide, anhydrous, 98+% (metals basis)	powder/lumps	LiI	10377-51-2
0326	Lithium iodide, anhydrous, 99.95% (metals basis)	crystalline/powder	LiI	10377-51-2
0323	Lithium iodide, ultra dry, 99% (metals basis)	-10 mesh beads	LiI	10377-51-2
0327	Lithium iodide, ultra dry, 99.95% (metals basis)	powder	LiI	10377-51-2
0325	Lithium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	LiI	10377-51-2
0324	Lithium iodide, ultra dry, 99.999% (metals basis)	powder	LiI	10377-51-2
0335	x	4 mole/l + 0,1 mole/l I2	LiI	x
0336	x	4 mole/l + 0,01 mole/l I2	LiI	x
0337	x	4 mole/l + 0,03 mole/l I2	LiI	x
0338	x	4 mole/l + 0,4 mole/l I2	LiI	x
0328	Lithium iodide hydrate, 99.9% (metals basis)	crystalline	LiI·xH2O	85017-80-7
0329	Lithium iodide hydrate, 99.995% (metals basis)	crystalline	LiI·xH2O	85017-80-7
0340	Lithium nitrate hydrate, 99.9% (metals basis)	crystalline	LiNO3·xH2O	7790-69-4
0330	Lithium vanadium oxide, 99.9% (metals basis)	powder	LiVO3	15060-59-0

Catalogue	Name, description	Form	Formula	CAS # EN
7101	Lutetium, 99.7% (metals basis)	ingot	Lu	7439-94-3
7123	Lutetium(III) nitrate hydrate, 99.9% (metals basis)	crystalline	Lu(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-16-5
7103	Lutetium(III) nitrate hydrate, 99.9% (REO)	crystalline	Lu(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-16-5
7124	Lutetium(III) nitrate hydrate, 99.99% (metals basis)	crystalline	Lu(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-16-5
7102	Lutetium(III) nitrate hydrate, 99.99% (REO)	crystalline	Lu(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-16-5
7104	Lutetium(III) acetate hydrate, 99.9% (REO)	crystalline	Lu(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	207500-05-8
7105	Lutetium(III) carbonate hydrate, 99.9% (REO)	powder	Lu <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	64360-99-2
7106	Lutetium(III) sulfate hydrate, 99.9% (REO)	crystalline	Lu <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	20814-12-4
7107	Lutetium(III) oxalate hydrate, 99.99% (REO)	crystalline	Lu <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	117247-81-1
7110	Lutetium(III) oxide	powder	Lu <sub>2</sub> O <sub>3</sub>	12032-20-1
7108	Lutetium(III) oxide, 99.99% (REO)	powder	Lu <sub>2</sub> O <sub>3</sub>	12032-20-1
7109	Lutetium(III) oxide, 99.999% (REO)	powder	Lu <sub>2</sub> O <sub>3</sub>	12032-20-1
7112	Lutetium(III) bromide, ultra dry, 99.9% (REO)	powder	LuBr <sub>3</sub>	14456-53-2
7111	Lutetium(III) bromide, ultra dry, 99.99% (REO)	powder	LuBr <sub>3</sub>	14456-53-2
7113	Lutetium(III) bromide hydrate, 99.9% (REO)	crystalline	LuBr <sub>3</sub> ·xH <sub>2</sub> O	29843-94-5
7115	Lutetium(III) chloride, ultra dry, 99.9% (REO)	powder	LuCl <sub>3</sub>	10099-66-8
7116	Lutetium(III) chloride, ultra dry, 99.95% (REO)	powder	LuCl <sub>3</sub>	10099-66-8
7114	Lutetium(III) chloride, ultra dry, 99.98% (REO)	powder	LuCl <sub>3</sub>	10099-66-8
7125	Lutetium(III) chloride, ultra dry, 99.999% (REO)	crystalline	LuCl <sub>3</sub>	10099-66-8

Catalogue	Name, description	Form	Formula	CAS # EN
7122	Lutetium(III) chloride hexahydrate, 99.9% (metals basis)	crystalline	LuCl <sub>3</sub> ·6H <sub>2</sub> O	15230-79-2
7117	Lutetium(III) chloride hexahydrate, 99.9% (REO)	crystalline	LuCl <sub>3</sub> ·6H <sub>2</sub> O	15230-79-2
7118	Lutetium(III) chloride hexahydrate, 99.99% (REO)	crystalline	LuCl <sub>3</sub> ·6H <sub>2</sub> O	15230-79-2
7119	Lutetium(III) fluoride, anhydrous, 99.99% (REO)	powder	LuF <sub>3</sub>	13760-81-1
7120	Lutetium(III) iodide, ultra dry, 99.9% (REO)	flakes	LuI <sub>3</sub>	13813-45-1
7121	Lutetium(III) iodide, ultra dry, 99.99% (REO)	powder	LuI <sub>3</sub>	13813-45-1
1201	Magnesium, 99.95% (metals basis)	0	Mg	7439-95-4
1202	Magnesium bromide, ultra dry, 99.99% (metals basis)	powder	MgBr <sub>2</sub>	7789-48-2
0	Magnesium bromide hexahydrate, 99.9% (metals basis)	0	MgBr <sub>2</sub> ·6H <sub>2</sub> O	13446-53-2
1207	Magnesium chloride, ultra dry, 99.9% (metals basis)	powder	MgCl <sub>2</sub>	7786-30-3
1204	Magnesium chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	MgCl <sub>2</sub>	7786-30-3
1203	Magnesium chloride, ultra dry, 99.99% (metals basis)	powder	MgCl <sub>2</sub>	7786-30-3
1205	Magnesium chloride, ultra dry, 99.999% (metals basis)	-10 mesh beads	MgCl <sub>2</sub>	7786-30-3
1206	Magnesium chloride, ultra dry, 99.999% (metals basis)	powder	MgCl <sub>2</sub>	7786-30-3
0	Magnesium chloride hexahydrate, 99.9% (metals basis)	0	MgCl <sub>2</sub> ·6H <sub>2</sub> O	7791-18-6
1216	Magnesium fluoride, anhydrous, 99.95% (metals basis)	powder	MgF <sub>2</sub>	7783-40-6

Catalogue	Name, description	Form	Formula	CAS # EN
1210	Magnesium iodide, ultra dry, 99.995% (metals basis)	powder	MgI <sub>2</sub>	10377-58-9
1211	Magnesium iodide, ultra dry, 99.995% (metals basis)	-10 mesh beads	MgI <sub>2</sub>	10377-58-9
1208	Magnesium iodide, ultra dry, 99.996% (metals basis)	powder	MgI <sub>2</sub>	10377-58-9
1209	Magnesium iodide, ultra dry, 99.996% (metals basis)	-10 mesh beads	MgI <sub>2</sub>	10377-58-9
1212	Magnesium iodide, ultra dry, 99.997% (metals basis)	-10 mesh beads	MgI <sub>2</sub>	10377-58-9
1213	Magnesium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	MgI <sub>2</sub>	10377-58-9
1214	Magnesium iodide, ultra dry, 99.999% (metals basis)	powder	MgI <sub>2</sub>	10377-58-9
1215	Magnesium oxide, 99.99% (metals basis)	powder	MgO	1309-48-4
2502	Manganese(II) bromide, 99% (metals basis)	powder	MnBr <sub>2</sub>	13446-03-2
2501	Manganese(II) bromide, anhydrous, 99% (metals basis)	-100 mesh powder	MnBr <sub>2</sub>	13446-03-2
2504	Manganese(II) bromide, ultra dry, 99.99% (metals basis)	powder	MnBr <sub>2</sub>	13446-03-2
2506	Manganese(II) chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	MnCl <sub>2</sub>	7773-01-5
2507	Manganese(II) chloride, ultra dry, 99.99% (metals basis)	powder	MnCl <sub>2</sub>	7773-01-5
2505	Manganese(II) chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	MnCl <sub>2</sub>	7773-01-5
2508	Manganese(II) chloride, ultra dry, 99.998% (metals basis)	powder	MnCl <sub>2</sub>	7773-01-5

Catalogue	Name, description	Form	Formula	CAS # EN
	basis)			
0	Manganese(II) chloride hydrate, 99.99% (metals basis)	0	MnCl <sub>2</sub> .xH <sub>2</sub> O	73913-06-1
2511	Manganese(II) iodide, ultra dry, 99% (metals basis)	powder	MnI <sub>2</sub>	7790-33-2
2510	Manganese(II) iodide, ultra dry, 99.99% (metals basis)	powder	MnI <sub>2</sub>	7790-33-2
2509	Manganese(II) iodide, ultra dry, 99.99% (metals basis)	-10 mesh beads	MnI <sub>2</sub>	7790-33-2
4201	Molybdenum, 99.99% (metals basis)	powder	Mo	7439-98-7
4202	Molybdenum(V) chloride, ultra dry, 99.99% (metals basis)	powder	MoCl <sub>5</sub>	10241-05-1
4205	Molybdenum(VI) oxide, 99.5% (metals basis)	powder	MoO <sub>3</sub>	1313-27-5
4203	Molybdenum(VI) oxide, 99.99% (metals basis)	powder	MoO <sub>3</sub>	1313-27-5
4204	Molybdenum(IV) selenide, 99.99% (metals basis)	-325 mesh powder	MoSe <sub>2</sub>	12058-18-3
1103	Sodium, 99.5% (metals basis) in mineral oil	chunks	Na	7440-23-5
1102	Sodium, 99.95% (metals basis)	breakseal	Na	7440-23-5
1101	Sodium, 99.95% (metals basis)	standard	Na	7440-23-5
1117	Sodium, 99.99% (metals basis)	breakseal	Na	7440-23-5
1122	Sodium carbonate, 99.95% (metals basis)	powder	Na <sub>2</sub> CO <sub>3</sub>	497-19-8
1124	Sodium carbonate, 99.99% (metals basis)	powder	Na <sub>2</sub> CO <sub>3</sub>	497-19-8
1118	Sodium chromate, 99.9% (metals basis)	powder	Na <sub>2</sub> CrO <sub>4</sub>	7775-11-3

Catalogue	Name, description	Form	Formula	CAS # EN
1125	Sodium telluride, 99.9% (metals basis)	powder	Na <sub>2</sub> Te	12034-41-2
1126	0	crystalline	Na <sub>2</sub> WO <sub>4</sub> ·2H <sub>2</sub> O	10213-10-2
1120	Sodium bromide, 99.9955% (metals basis)	powder	NaBr	7647-15-6
1104	Sodium bromide, ultra dry, 99.999% (metals basis)	-10 mesh spheres	NaBr	7647-15-6
1105	Sodium bromide, ultra dry, 99.999% (metals basis)	powder	NaBr	7647-15-6
1108	Sodium chloride, 99% (metals basis)	crystalline	NaCl	7647-14-5
1106	Sodium chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	NaCl	7647-14-5
1123	Sodium chloride, ultra dry, 99.995% (metals basis)	powder	NaCl	7647-14-5
1107	Sodium chloride, ultra dry, 99.998% (metals basis)	-10 mesh beads	NaCl	7647-14-5
1109	Sodium chloride, ultra dry, 99.998% (metals basis)	powder	NaCl	7647-14-5
1119	Sodium fluoride, 99.99% (metals basis)	3-6 mm pieces	NaF	7681-49-4
1110	Sodium iodide, 99.9% (metals basis)	powder	NaI	7681-82-5
1113	Sodium iodide, anhydrous, 99.9% (metals basis)	powder	NaI	7681-82-5
1111	Sodium iodide, ultra dry, 99.98% (metals basis)	-10 mesh beads	NaI	7681-82-5
1114	Sodium iodide, ultra dry, 99.99% (metals basis)	powder	NaI	7681-82-5
1112	Sodium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	NaI	7681-82-5
1121	Sodium iodide, ultra dry, 99.999% (metals basis)	powder	NaI	7681-82-5
1115	Sodium perrhenate, 99.95% (metals basis)	powder	NaReO <sub>4</sub>	13472-33-8

Catalogue	Name, description	Form	Formula	CAS # EN
1116	Sodium perrhenate, 99.99% (metals basis)	crystalline	NaReO <sub>4</sub>	13472-33-8
4101	Niobium(IV) oxide, 99.995% (metals basis)	powder	Nb <sub>2</sub> O <sub>5</sub>	1313-96-8
4113	Niobium(V) oxide, 99.9% (metals basis)	powder	Nb <sub>2</sub> O <sub>5</sub>	1313-96-8
4102	Niobium(V) oxide, 99.99% (metals basis)	powder	Nb <sub>2</sub> O <sub>5</sub>	1313-96-8
4103	Niobium(V) oxide, 99.998% (metals basis)	powder	Nb <sub>2</sub> O <sub>5</sub>	1313-96-8
4114	Niobium(V) oxide, 99.9985% (metals basis)	powder	Nb <sub>2</sub> O <sub>5</sub>	1313-96-8
4104	Niobium(V) bromide, 99.9% (metals basis)	powder	NbBr <sub>5</sub>	13478-45-0
4105	Niobium(V) bromide, 99.999% (metals basis)	powder	NbBr <sub>5</sub>	13478-45-0
4109	Niobium(V) chloride, 99% (metals basis)	15 mm shots	NbCl <sub>5</sub>	10026-12-7
4108	Niobium(V) chloride, 99% (metals basis)	powder	NbCl <sub>5</sub>	10026-12-7
4106	Niobium(V) chloride, 99.9% (metals basis)	-100 mesh powder	NbCl <sub>5</sub>	10026-12-7
4110	Niobium(V) chloride, 99.99% (metals basis)	powder	NbCl <sub>5</sub>	10026-12-7
4107	Niobium(V) chloride, 99.999% (metals basis)	powder	NbCl <sub>5</sub>	10026-12-7
4111	Niobium(IV) oxide, 99.9% (metals basis)	powder	NbO <sub>2</sub>	12034-59-2
4112	Niobium(IV) oxide, 99+% (metals basis)	powder	NbO <sub>2</sub>	12034-59-2
6001	Neodymium, 99.7% (metals basis)	ingot	Nd	7440-00-8
6034	Neodymium, 99.8% (metals basis)	ingot	Nd	7440-00-8
6002	Neodymium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Nd(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	16454-60-7

Catalogue	Name, description	Form	Formula	CAS # EN
6003	Neodymium(III) nitrate hexahydrate, 99.99% (REO)	crystalline	Nd(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	16454-60-7
6026	Neodymium(III) nitrate hydrate, 99.9% (REO)	crystalline	Nd(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	13746-96-8
6004	Neodymium(III) acetate hydrate, 99.9% (REO)	crystalline	Nd(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	334869-71-5
6030	Neodymium(III) acetate hydrate, 99.99% (REO)	crystalline	Nd(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	334869-71-5
6006	Neodymium(III) carbonate hydrate, 99.9% (REO)	crystalline	Nd <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	38245-38-4
6005	Neodymium(III) carbonate hydrate, 99.9% (REO)	powder	Nd <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	38245-38-4
6007	Neodymium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Nd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13477-91-3
6028	Neodymium(III) sulfate hydrate, 99.9% (metals basis)	crystalline	Nd <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	101509-27-7
6008	Neodymium(III) oxalate hydrate, 99.9% (REO)	crystalline	Nd <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	28877-87-4
60001	0	0	Nd <sub>2</sub> O <sub>3</sub>	1313-97-9
6010	Neodymium(III) oxide, 99.9% (REO)	powder	Nd <sub>2</sub> O <sub>3</sub>	1313-97-9
6011	Neodymium(III) oxide, 99.99% (REO)	powder	Nd <sub>2</sub> O <sub>3</sub>	1313-97-9
6009	Neodymium(III) oxide, 99.999% (REO)	powder	Nd <sub>2</sub> O <sub>3</sub>	1313-97-9
6029	Neodymium(III) bromide, ultra dry, 99.9% (REO)	powder	NdBr <sub>3</sub>	13536-80-6
6012	Neodymium(III) bromide, ultra dry, 99.99% (REO)	-10 mesh beads	NdBr <sub>3</sub>	13536-80-6
6013	Neodymium(III) bromide, ultra dry, 99.99% (REO)	powder	NdBr <sub>3</sub>	13536-80-6
6014	Neodymium(III) bromide hydrate, 99.9% (REO)	crystalline	NdBr <sub>3</sub> ·xH <sub>2</sub> O	29843-90-1
6016	Neodymium(III) chloride, anhydrous, 99.9% (REO)	-20 mesh powder	NdCl <sub>3</sub>	10024-93-8

Catalogue	Name, description	Form	Formula	CAS # EN
6017	Neodymium(III) chloride, anhydrous, 99.99% (REO)	-20 mesh powder	NdCl <sub>3</sub>	10024-93-8
6015	Neodymium(III) chloride, ultra dry, 99.99% (REO)	-20 mesh powder	NdCl <sub>3</sub>	10024-93-8
6018	Neodymium(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	NdCl <sub>3</sub>	10024-93-8
6033	Neodymium(III) chloride, ultra dry, 99.99% (REO)	crystalline	NdCl <sub>3</sub>	10024-93-8
6027	Neodymium(III) chloride hexahydrate, 99.9% (metals basis)	crystalline	NdCl <sub>3</sub> ·6H <sub>2</sub> O	13477-89-9
6019	Neodymium(III) chloride hydrate, 99.9% (REO)	crystalline	NdCl <sub>3</sub> ·xH <sub>2</sub> O	19423-78-0
6020	Neodymium(III) chloride hydrate, 99.99% (REO)	crystalline	NdCl <sub>3</sub> ·xH <sub>2</sub> O	19423-78-0
6032	Neodymium(III) chloride hydrate, 99.999% (REO)	crystalline	NdCl <sub>3</sub> ·xH <sub>2</sub> O	19423-78-0
6021	Neodymium(III) fluoride, anhydrous, 99.9% (REO)	powder	NdF <sub>3</sub>	13709-42-7
6022	Neodymium(III) fluoride, anhydrous, 99.99% (REO)	powder	NdF <sub>3</sub>	13709-42-7
6031	Neodymium(III) fluoride, anhydrous, 99.999% (REO)	powder	NdF <sub>3</sub>	13709-42-7
6023	Neodymium(III) iodide, ultra dry, 99.9% (REO)	powder	NdI <sub>3</sub>	13813-24-6
6024	Neodymium(III) iodide, ultra dry, 99.99% (REO)	-10 mesh beads	NdI <sub>3</sub>	13813-24-6
6025	Neodymium(III) iodide, ultra dry, 99.99% (REO)	powder	NdI <sub>3</sub>	13813-24-6
0709	0	powder	NH <sub>4</sub> F	12125-01-8
7511	Ammonium perrhenate, 99% (metals basis)	powder	NH <sub>4</sub> ReO <sub>4</sub>	13598-65-7

Catalogue	Name, description	Form	Formula	CAS # EN
7513	Ammonium perrhenate, 99.9% (metals basis)	powder	NH4ReO4	13598-65-7
7512	Ammonium perrhenate, 99.99% (metals basis)	powder	NH4ReO4	13598-65-7
2810	Nickel(II) nitrate hexahydrate, 99.95% (metals basis)	crystalline	Ni(NO3)2·6H2O	13478-00-7
2801	Nickel(II) bromide, anhydrous, 99% (metals basis)	crystalline	NiBr2	13462-88-9
2802	Nickel(II) bromide, anhydrous, 99.9% (metals basis)	powder	NiBr2	13462-88-9
2811	Nickel(II) chloride, anhydrous, 98% (metals basis)	powder	NiCl2	7718-54-9
2804	Nickel(II) chloride, anhydrous, 99% (metals basis)	powder	NiCl2	7718-54-9
2812	Nickel(II) chloride, anhydrous, 99.99% (metals basis)	powder	NiCl2	7718-54-9
2803	Nickel(II) chloride, ultra dry, 99.9% (metals basis)	powder	NiCl2	7718-54-9
2805	Nickel(II) chloride, ultra dry, 99.99% (metals basis)	powder	NiCl2	7718-54-9
2806	Nickel(II) chloride hexahydrate, 99.95% (metals basis)	crystalline	NiCl2·6H2O	7791-20-0
2809	Nickel(II) chloride hexahydrate, 99.999% (metals basis)	crystalline	NiCl2·6H2O	7791-20-0
2807	Nickel(II) iodide, ultra dry, 99.998% (metals basis)	powder	NiI2	13462-90-3
2808	Nickel(II) oxide, 99% (metals basis)	powder	NiO	1313-99-1
8201	Lead(II) nitrate, 99.999% (metals basis)	crystalline	Pb(NO3)2	10099-74-8
8214	Lead(II) bromide, 99.998% (metals basis)	powder	PbBr2	10031-22-8
8203	Lead(II) bromide, anhydrous, 99.995% (metals basis)	powder	PbBr2	10031-22-8
8202	Lead(II) bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	PbBr2	10031-22-8
8204	Lead(II) chloride, 99.999% (metals basis)	crystalline	PbCl2	7758-95-4

Catalogue	Name, description	Form	Formula	CAS # EN
8206	Lead(II) chloride, ultra dry, 99.999% (metals basis)	-10 mesh beads	PbCl <sub>2</sub>	7758-95-4
8205	Lead(II) chloride, ultra dry, 99.999% (metals basis)	powder	PbCl <sub>2</sub>	7758-95-4
8207	Lead(II) fluoride, 99.995% (metals basis)	powder	PbF <sub>2</sub>	7783-46-2
8208	Lead(II) iodide, 99.9985% (metals basis)	powder	PbI <sub>2</sub>	10101-63-0
8209	Lead(II) iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	PbI <sub>2</sub>	10101-63-0
8210	Lead(II) iodide, ultra dry, 99.999% (metals basis)	powder	PbI <sub>2</sub>	10101-63-0
8211	Lead(II) iodide, ultra dry, 99.999% (metals basis)	crystalline	PbI <sub>2</sub>	10101-63-0
8215	0	powder	PbO <sub>2</sub>	1309-60-0
8212	Lead(IV) oxide, 99.995% (metals basis)	powder	PbO <sub>2</sub>	1309-60-0
0	Phosphorus(III) iodide, 99.99% (metals basis)	powder	PI <sub>3</sub>	13455-01-1
5901	Praseodymium, 99.7% (metals basis)	ingot	Pr	7440-10-0
5926	Praseodymium(III) nitrate hexahydrate, 99.9% (metals basis)	crystalline	Pr(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	15878-77-0
5903	Praseodymium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Pr(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	15878-77-0
5902	Praseodymium(III) nitrate hexahydrate, 99.99% (REO)	crystalline	Pr(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	15878-77-0
5904	Praseodymium(III) acetate hydrate, 99.9% (REO)	crystalline	Pr(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	334869-74-8
5905	Praseodymium(III) oxalate decahydrate, 99.9% (REO)	crystalline	Pr <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	24992-60-7
5906	Praseodymium(III) carbonate octahydrate, 99.9% (REO)	crystalline	Pr <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	14948-62-0

Catalogue	Name, description	Form	Formula	CAS # EN
5907	Praseodymium(III) carbonate octahydrate, 99.99% (REO)	crystalline	Pr <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	14948-62-0
5908	Praseodymium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Pr <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13510-41-3
5910	Praseodymium(III) sulfate octahydrate, 99.99% (REO)	crystalline	Pr <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13510-41-3
5909	Praseodymium(III) sulfate octahydrate, 99.99% (REO)	powder	Pr <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13510-41-3
5913	Praseodymium(III,IV) oxide, 99.8% (REO)	powder	Pr <sub>6</sub> O <sub>11</sub>	12037-29-5
5927	Praseodymium(III,IV) oxide, 99.8% (REO)	powder	Pr <sub>6</sub> O <sub>11</sub>	12037-29-5
5912	Praseodymium(III,IV) oxide, 99.9% (REO)	powder	Pr <sub>6</sub> O <sub>11</sub>	12037-29-5
5911	Praseodymium(III,IV) oxide, 99.99% (REO)	powder	Pr <sub>6</sub> O <sub>11</sub>	12037-29-5
5914	Praseodymium(III) bromide, ultra dry, 99.99% (REO)	powder	PrBr <sub>3</sub>	13536-53-3
5915	Praseodymium(III) bromide hydrate, 99.99% (REO)	crystalline	PrBr <sub>3</sub> ·xH <sub>2</sub> O	225505-12-4
5918	Praseodymium(III) chloride, ultra dry, 99.9% (REO)	powder	PrCl <sub>3</sub>	10361-79-2
5919	Praseodymium(III) chloride, ultra dry, 99.95% (REO)	crystalline	PrCl <sub>3</sub>	10361-79-2
5916	Praseodymium(III) chloride, ultra dry, 99.95% (REO)	powder	PrCl <sub>3</sub>	10361-79-2
5917	Praseodymium(III) chloride, ultra dry, 99.99% (REO)	powder	PrCl <sub>3</sub>	10361-79-2
5920	Praseodymium(III) chloride hydrate, 99.9% (REO)	crystalline	PrCl <sub>3</sub> ·xH <sub>2</sub> O	19423-77-9
5921	Praseodymium(III) chloride hydrate, 99.99% (REO)	crystalline	PrCl <sub>3</sub> ·xH <sub>2</sub> O	19423-77-9
5922	Praseodymium(III) fluoride, anhydrous, 99.9% (REO)	powder	PrF <sub>3</sub>	13709-46-1
5928	Praseodymium(III) fluoride, anhydrous, 99.99% (REO)	powder	PrF <sub>3</sub>	13709-46-1

Catalogue	Name, description	Form	Formula	CAS # EN
5924	Praseodymium(III) iodide, ultra dry, 99.9% (REO)	powder	PrI3	13813-23-5
5923	Praseodymium(III) iodide, ultra dry, 99.9+% (REO)	crystalline/needles	PrI3	13813-23-5
5925	Praseodymium(III) iodide, ultra dry, 99.99% (REO)	powder	PrI3	13813-23-5
3701	Rubidium, 99.75% (metals basis)	breakseal	Rb	7440-17-7
3702	Rubidium, 99.75% (metals basis)	standard	Rb	7440-17-7
3727	Rubidium, 99.8% (metals basis)	breakseal	Rb	7440-17-7
3728	Rubidium, 99.8% (metals basis)	standard	Rb	7440-17-7
3703	Rubidium, 99.9+% (metals basis)	breakseal	Rb	7440-17-7
3704	Rubidium, 99.99% (metals basis)	breakseal	Rb	7440-17-7
3705	Rubidium, 99.99% (metals basis)	standard	Rb	7440-17-7
3729	Rubidium, 99.997% (metals basis)	special	Rb	7440-17-7
3735	Rubidium, 99.997% (metals basis)	standard	Rb	7440-17-7
3707	Rubidium carbonate, 99% (metals basis)	powder	Rb2CO3	584-09-8
3706	Rubidium carbonate, 99.5% (metals basis)	-20 mesh powder	Rb2CO3	584-09-8
3708	Rubidium carbonate, 99.9% (metals basis)	powder	Rb2CO3	584-09-8
3731	Rubidium carbonate, 99.99% (metals basis)	powder	Rb2CO3	584-09-8
3709	Rubidium sulfate, 99% (metals basis)	crystalline	Rb2SO4	7488-54-2

Catalogue	Name, description	Form	Formula	CAS # EN
3710	Rubidium sulfate, 99.8% (metals basis)	crystalline	Rb <sub>2</sub> SO <sub>4</sub>	7488-54-2
3711	Rubidium sulfate, 99.99% (metals basis)	crystalline	Rb <sub>2</sub> SO <sub>4</sub>	7488-54-2
3734	Rubidium bromide, 99.5% (metals basis)	crystalline	RbBr	7789-39-1
3712	Rubidium bromide, 99.8% (metals basis)	crystalline	RbBr	7789-39-1
3713	Rubidium bromide, 99.9% (metals basis)	crystalline	RbBr	7789-39-1
3715	Rubidium chloride, 99% (metals basis)	crystalline	RbCl	7791-11-9
3714	Rubidium chloride, 99.8% (metals basis)	crystalline	RbCl	7791-11-9
3730	Rubidium chloride, 99.9% (metals basis)	crystalline	RbCl	7791-11-9
3716	Rubidium chloride, 99.98% (metals basis)	crystalline	RbCl	7791-11-9
3732	Rubidium chloride, 99.99% (metals basis)	crystalline	RbCl	7791-11-9
3717	Rubidium fluoride, 99.1% (metals basis)	crystalline	RbF	13446-74-7
3733	Rubidium fluoride, 99.5% (metals basis)	powder	RbF	13446-74-7
3719	Rubidium fluoride, 99.8% (metals basis)	powder	RbF	13446-74-7
3718	Rubidium fluoride, 99.975% (metals basis)	crystalline	RbF	13446-74-7
3722	Rubidium iodide, 99.5% (metals basis)	crystalline	RbI	7790-29-6
3720	Rubidium iodide, 99.8% (metals basis)	crystalline	RbI	7790-29-6
3721	Rubidium iodide, 99.99% (metals basis)	crystalline	RbI	7790-29-6
3723	Rubidium nitrate, 99% (metals basis)	crystalline	RbNO <sub>3</sub>	13126-12-0
3724	Rubidium nitrate, 99.8% (metals basis)	crystalline	RbNO <sub>3</sub>	13126-12-0

Catalogue	Name, description	Form	Formula	CAS # EN
3725	Rubidium nitrate, 99.99% (metals basis)	crystalline	RbNO <sub>3</sub>	13126-12-0
3726	Rubidium acetate, 99.8% (metals basis)	crystalline	RbOOCCH <sub>3</sub>	563-67-7
7510	Rhenium, 99.9% (metals basis)	powder	Re	7440-15-5
7514	Rhenium, 99.9% (metals basis)	slug	Re	7440-15-5
7501	Rhenium, 99.99% (metals basis)	powder	Re	7440-15-5
7502	Rhenium(VII) oxide, ultra dry, 99.9% (metals basis)	crystalline	Re <sub>2</sub> O <sub>7</sub>	1314-68-7
7503	Rhenium(VII) oxide, ultra dry, 99.99% (metals basis)	crystalline	Re <sub>2</sub> O <sub>7</sub>	1314-68-7
7505	Rhenium(VII) oxide, ultra dry, 99.99% (metals basis)	crystalline/powder	Re <sub>2</sub> O <sub>7</sub>	1314-68-7
7504	Rhenium(VII) oxide, ultra dry, 99.995% (metals basis)	crystalline	Re <sub>2</sub> O <sub>7</sub>	1314-68-7
7506	Rhenium(III) chloride, ultra dry, 99.99% (metals basis)	powder	ReCl <sub>3</sub>	13569-63-6
7507	Rhenium(V) chloride, ultra dry, 99.9% (metals basis)	crystalline	ReCl <sub>5</sub>	13596-35-5
7508	Rhenium(V) chloride, ultra dry, 99.9% (metals basis)	powder	ReCl <sub>5</sub>	13596-35-5
7509	Rhenium(VI) oxide, 99.9% (metals basis)	powder	ReO <sub>3</sub>	1314-28-9
5101	Antimony, 99.5% (metals basis)	0	Sb	7440-36-0
5102	Antimony, 99.999% (metals basis)	0	Sb	7440-36-0
5103	Antimony, 99.9999% (metals basis)	0	Sb	7440-36-0
5111	Antimony(III) oxide, 99.999% (metals basis)	powder	Sb <sub>2</sub> O <sub>3</sub>	1309-64-4
5104	Antimony(III) bromide, ultra dry, 99.999% (metals)	2-10 mm shots	SbBr <sub>3</sub>	7789-61-9

Catalogue	Name, description	Form	Formula	CAS # EN
	basis)			
51001	0	crystals	SbCl <sub>3</sub>	10025-91-9
5110	Antimony(III) chloride, ultra dry, 99.99% (metals basis)	crystals	SbCl <sub>3</sub>	10025-91-9
5105	Antimony(III) chloride, ultra dry, 99.999% (metals basis)	crystals	SbCl <sub>3</sub>	10025-91-9
5106	Antimony(V) chloride, ultra dry, 99.999% (metals basis)	liquid	SbCl <sub>5</sub>	7647-18-9
5108	Antimony(III) iodide, ultra dry, 99.998% (metals basis)	-10 mesh beads	SbI <sub>3</sub>	7790-44-5
5109	Antimony(III) iodide, ultra dry, 99.999% (metals basis)	powder	SbI <sub>3</sub>	7790-44-5
5107	Antimony(III) iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	SbI <sub>3</sub>	7790-44-5
2101	Scandium ingot, 99.9% (metals basis)	shots	Sc	7440-20-2
2102	Scandium, 99.99% (metals basis)	shots	Sc	7440-20-2
2124	Scandium(III) nitrate hydrate, 99.9% (metals basis)	crystalline	Sc(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	107552-14-7
2103	Scandium(III) nitrate hydrate, 99.9% (REO)	crystalline	Sc(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	107552-14-7
2125	Scandium(III) nitrate hydrate, 99.99% (metals basis)	crystalline	Sc(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	107552-14-7
2104	Scandium(III) nitrate hydrate, 99.99% (REO)	crystalline	Sc(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	107552-14-7
2105	Scandium(III) nitrate hydrate, 99.999% (REO)	crystalline	Sc(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	107552-14-7
2128	x	powder	Sc(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	304675-64-7
2106	Scandium(III) oxalate hydrate, 99.99% (REO)	crystalline	Sc <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	17926-77-1

Catalogue	Name, description	Form	Formula	CAS # EN
2126	Scandium(III) carbonate hydrate, 99.99% (REO)	crystalline	Sc <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	5809-49-4
2127	Scandium(III) sulfate, 99.9% (REO)	0	Sc <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub>	13465-61-7
2107	Scandium(III) sulfate hydrate, 99.9% (REO)	crystalline	Sc <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	13465-61-7
2108	Scandium(III) sulfate hydrate, 99.99% (REO)	crystalline	Sc <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	13465-61-7
2109	Scandium(III) oxide, 99.9% (REO)	powder	Sc <sub>2</sub> O <sub>3</sub>	12060-08-1
2110	Scandium(III) oxide, 99.99% (REO)	powder	Sc <sub>2</sub> O <sub>3</sub>	12060-08-1
2111	Scandium(III) oxide, 99.998% (metals basis)	powder	Sc <sub>2</sub> O <sub>3</sub>	12060-08-1
2113	Scandium(III) bromide, anhydrous, 99.99% (REO)	crystalline	ScBr <sub>3</sub>	13465-59-3
2112	Scandium(III) bromide, ultra dry, 99.99% (REO)	powder	ScBr <sub>3</sub>	13465-59-3
2114	Scandium(III) bromide hydrate, 99.99% (REO)	crystalline	ScBr <sub>3</sub> ·xH <sub>2</sub> O	307496-17-9
2115	Scandium(III) chloride, anhydrous, 99.9% (REO)	powder	ScCl <sub>3</sub>	10361-84-9
2117	Scandium(III) chloride, anhydrous, 99.99% (REO)	powder	ScCl <sub>3</sub>	10361-84-9
2116	Scandium(III) chloride, ultra dry, 99.99% (REO)	powder	ScCl <sub>3</sub>	10361-84-9
2122	Scandium(III) chloride hexahydrate, 99.9% (metals basis)	crystalline	ScCl <sub>3</sub> ·6H <sub>2</sub> O	20662-14-0
2118	Scandium(III) chloride hexahydrate, 99.9% (REO)	crystalline	ScCl <sub>3</sub> ·6H <sub>2</sub> O	20662-14-0
2123	Scandium(III) chloride hexahydrate, 99.99% (metals basis)	crystalline	ScCl <sub>3</sub> ·6H <sub>2</sub> O	20662-14-0
2119	Scandium(III) chloride hexahydrate, 99.99% (REO)	crystalline	ScCl <sub>3</sub> ·6H <sub>2</sub> O	20662-14-0

Catalogue	Name, description	Form	Formula	CAS # EN
2120	Scandium(III) fluoride, anhydrous, 99.9% (REO)	powder	ScF3	13709-47-2
2121	Scandium(III) iodide, ultra dry, 99.999% (REO)	powder	ScI3	14474-33-0
3401	Selenium, 99.99% (metals basis)	shots	Se	7782-49-2
0000	Shipment	-	Shipment	-
1401	Silicon(IV) bromide	liquid	SiBr4	7789-66-4
1402	Silicon(IV) bromide, ultra dry, 99.9% (metals basis)	liquid	SiBr4	7789-66-4
1410	Silicon(IV) bromide, ultra dry, 99.99% (metals basis)	liquid	SiBr4	7789-66-4
1403	Silicon(IV) bromide, ultra dry, 99.999% (metals basis)	liquid	SiBr4	7789-66-4
1404	Silicon(IV) chloride, ultra dry, 99.999% (metals basis)	liquid	SiCl4	10026-04-7
1405	Silicon(IV) iodide, 99.999% (metals basis)	shots	SiI4	13465-84-4
1406	Silicon(IV) iodide, ultra dry, 99% (metals basis)	crystalline	SiI4	13465-84-4
1407	Silicon(IV) iodide, ultra dry, 99.9% (metals basis)	crystalline	SiI4	13465-84-4
1408	Silicon(IV) iodide, ultra dry, 99.999% (metals basis)	crystalline	SiI4	13465-84-4
1409	Silicon(IV) oxide, 99.99% (metals basis)	powder	SiO2	7631-86-9
6201	Samarium, 99.7% (metals basis)	ingot	Sm	7440-19-9
6202	Samarium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Sm(NO3)3·6H2O	13759-83-6
6203	Samarium(III) nitrate hexahydrate, 99.99% (REO)	crystalline	Sm(NO3)3·6H2O	13759-83-6
6204	Samarium(III) hydroxide hydrate, 99% (REO)	powder/lumps	Sm(OH)3·xH2O	20403-06-9
6205	Samarium(III) acetate hydrate, 99.9% (REO)	crystalline	Sm(OOCCH3)3·xH2O	17829-86-6

Catalogue	Name, description	Form	Formula	CAS # EN
6227	Samarium(III) acetate hydrate, 99.99% (REO)	crystalline	Sm(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	17829-86-6
6225	Samarium(III) oxalate decahydrate, 99.9% (REO)	crystalline	Sm <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	14175-03-2
6206	Samarium(III) oxalate decahydrate, 99.99% (REO)	crystalline	Sm <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	14175-03-2
6224	Samarium(III) oxalate hydrate, 99.99% (REO)	crystalline	Sm <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	312695-68-4
6207	Samarium(III) carbonate hydrate, 99.99+% (REO)	powder	Sm <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	38245-37-3
6208	Samarium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Sm <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13465-58-2
6210	Samarium(III) oxide, 99.9% (REO)	powder	Sm <sub>2</sub> O <sub>3</sub>	12060-58-1
6209	Samarium(III) oxide, 99.99% (REO)	powder	Sm <sub>2</sub> O <sub>3</sub>	12060-58-1
6211	Samarium(III) oxide, 99.995% (REO)	powder	Sm <sub>2</sub> O <sub>3</sub>	12060-58-1
6226	Samarium(III) oxide, 99.998% (metals basis)	powder	Sm <sub>2</sub> O <sub>3</sub>	12060-58-1
6223	Samarium(II) bromide, ultra dry, 99.99% (REO)	powder	SmBr <sub>2</sub>	50801-97-3
6213	Samarium(III) bromide hexahydrate, 99.9% (REO)	crystalline	SmBr <sub>3</sub> ·6H <sub>2</sub> O	13517-12-9
6212	Samarium(III) bromide hexahydrate, 99.99% (REO)	crystalline	SmBr <sub>3</sub> ·6H <sub>2</sub> O	13517-12-9
6228	Samarium(II) chloride, ultra dry, 99.99% (REO)	crystalline	SmCl <sub>2</sub>	13874-75-4
6215	Samarium(III) chloride, anhydrous, 99.9% (REO)	powder	SmCl <sub>3</sub>	10361-82-7
6216	Samarium(III) chloride, anhydrous, 99.99% (REO)	granules	SmCl <sub>3</sub>	10361-82-7
6214	Samarium(III) chloride, ultra dry, 99.9% (REO)	powder	SmCl <sub>3</sub>	10361-82-7
6217	Samarium(III) chloride, ultra dry, 99.99% (REO)	powder	SmCl <sub>3</sub>	10361-82-7
6218	Samarium(III) chloride hexahydrate, 99.9% (REO)	crystalline	SmCl <sub>3</sub> ·6H <sub>2</sub> O	13465-55-9

Catalogue	Name, description	Form	Formula	CAS # EN
6219	Samarium(III) chloride hexahydrate, 99.99% (REO)	crystalline	SmCl <sub>3</sub> ·6H <sub>2</sub> O	13465-55-9
6220	Samarium(III) fluoride, anhydrous, 99.9% (REO)	powder	SmF <sub>3</sub>	13765-24-7
6221	Samarium(III) fluoride, anhydrous, 99.99% (REO)	powder	SmF <sub>3</sub>	13765-24-7
6222	Samarium(II) iodide, ultra dry, 99.99% (metals basis)	powder	SmI <sub>2</sub>	32248-43-4
5001	Tin(II) bromide, anhydrous, 99.99% (metals basis)	powder	SnBr <sub>2</sub>	10031-24-0
5012	Tin(II) bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	SnBr <sub>2</sub>	10031-24-0
5009	Tin(IV) bromide, anhydrous, 99.99% (metals basis)	0	SnBr <sub>4</sub>	7789-67-5
5003	Tin(II) chloride, anhydrous, 99.995% (metals basis)	powder	SnCl <sub>2</sub>	7772-99-8
5002	Tin(II) chloride, ultra dry, 99.9985% (metals basis)	powder	SnCl <sub>2</sub>	7772-99-8
5004	Tin(II) chloride, ultra dry, 99.999% (metals basis)	powder	SnCl <sub>2</sub>	7772-99-8
5005	Tin(II) chloride dihydrate, 99.995% (metals basis)	crystalline	SnCl <sub>2</sub> ·2H <sub>2</sub> O	10025-69-1
5006	Tin(IV) chloride, ultra dry, 99.999% (metals basis)	liquid	SnCl <sub>4</sub>	7646-78-8
5007	Tin(II) iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	SnI <sub>2</sub>	10294-70-9
5008	Tin(II) iodide, ultra dry, 99.999% (metals basis)	powder	SnI <sub>2</sub>	10294-70-9
5010	Tin(IV) iodide, ultra dry, 99.998% (metals basis)	powder	SnI <sub>4</sub>	7790-47-8
5011	Tin(IV) iodide, ultra dry, 99.999% (metals basis)	powder	SnI <sub>4</sub>	7790-47-8
3824	Strontium nitrate, 99% (metals basis)	crystalline	Sr(NO <sub>3</sub> ) <sub>2</sub>	10042-76-9
3801	Strontium nitrate, 99.97% (metals basis)	crystalline	Sr(NO <sub>3</sub> ) <sub>2</sub>	10042-76-9
3802	Strontium perrenate, anhydrous, 99.99% (metals)	powder	Sr(ReO <sub>4</sub> ) <sub>2</sub>	x

Catalogue	Name, description	Form	Formula	CAS # EN
	basis)			
3804	Strontium bromide, anhydrous, 99% (metals basis)	granules	SrBr <sub>2</sub>	10476-81-0
3819	Strontium bromide, anhydrous, 99% (metals basis)	powder	SrBr <sub>2</sub>	10476-81-0
3806	Strontium bromide, ultra dry, 99.99% (metals basis)	-10 mesh beads	SrBr <sub>2</sub>	10476-81-0
3805	Strontium bromide, ultra dry, 99.99% (metals basis)	crystalline	SrBr <sub>2</sub>	10476-81-0
3803	Strontium bromide, ultra dry, 99.995% (metals basis)	powder	SrBr <sub>2</sub>	10476-81-0
3807	Strontium chloride, anhydrous, 99.5% (metals basis)	-40 mesh powder	SrCl <sub>2</sub>	10476-85-4
3823	Strontium chloride, anhydrous, 99.99% (metals basis)	powder	SrCl <sub>2</sub>	10476-85-4
3826	Strontium chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	SrCl <sub>2</sub>	10476-85-4
3808	Strontium chloride, ultra dry, 99.995% (metals basis)	-10 mesh beads	SrCl <sub>2</sub>	10476-85-4
3809	Strontium chloride, ultra dry, 99.995% (metals basis)	powder	SrCl <sub>2</sub>	10476-85-4
3825	Strontium carbonate, 99.95% (metals basis)	powder	SrCO <sub>3</sub>	1633-05-2
3810	Strontium carbonate, 99.99% (metals basis)	powder	SrCO <sub>3</sub>	1633-05-2
3820	Strontium fluoride, anhydrous, 99.9% (metals basis)	powder	SrF <sub>2</sub>	7783-48-4
3821	Strontium fluoride, anhydrous, 99.99% (metals basis)	powder	SrF <sub>2</sub>	7783-48-4
3822	Strontium iodide, anhydrous, 99% (metals basis)	powder	SrI <sub>2</sub>	10476-86-5
3811	Strontium iodide, anhydrous, 99.99% (metals basis)	powder	SrI <sub>2</sub>	10476-86-5
3813	Strontium iodide, anhydrous, 99.995% (metals basis)	powder	SrI <sub>2</sub>	10476-86-5

Catalogue	Name, description	Form	Formula	CAS # EN
3814	Strontium iodide, ultra dry, 99.9% (metals basis)	-10 mesh beads	SrI2	10476-86-5
3815	Strontium iodide, ultra dry, 99.99% (metals basis)	powder	SrI2	10476-86-5
3812	Strontium iodide, ultra dry, 99.99% (metals basis)	-10 mesh beads	SrI2	10476-86-5
3816	Strontium iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	SrI2	10476-86-5
3817	Strontium oxide, 99.5% (metals basis)	powder	SrO	1314-11-0
3818	Strontium oxide, 99.9% (metals basis)	powder	SrO	1314-11-0
7301	Tantalum(V) oxide, 99% (metals basis)	powder	Ta2O5	1314-61-0
7302	Tantalum(V) oxide, 99.85% (metals basis)	-325 mesh powder	Ta2O5	1314-61-0
7315	Tantalum(V) oxide, 99.85% (metals basis)	powder	Ta2O5	1314-61-0
7303	Tantalum(V) oxide, 99.99% (metals basis)	-325 mesh powder	Ta2O5	1314-61-0
7314	Tantalum(V) oxide, 99.99% (metals basis)	powder	Ta2O5	1314-61-0
7304	Tantalum(V) bromide, 99.9% (metals basis)	-8 mesh powder	TaBr5	13451-11-1
7305	Tantalum(V) bromide, anhydrous, 99.9% (metals basis)	powder	TaBr5	13451-11-1
7307	Tantalum(V) bromide, ultra dry, 99.99% (metals basis)	crystalline	TaBr5	13451-11-1
7306	Tantalum(V) bromide, ultra dry, 99.99% (metals basis)	powder	TaBr5	13451-11-1
7309	Tantalum(V) chloride, anhydrous, 99.8% (metals basis)	powder	TaCl5	7721-01-9
7308	Tantalum(V) chloride, anhydrous, 99.99% (metals basis)	-60 mesh	TaCl5	7721-01-9

Catalogue	Name, description	Form	Formula	CAS # EN
	basis)	powder		
7310	Tantalum(V) chloride, anhydrous, 99.99% (metals basis)	crystalline	TaCl <sub>5</sub>	7721-01-9
7316	Tantalum(V) chloride, anhydrous, 99.99% (metals basis)	-60 mesh powder	TaCl <sub>5</sub>	7721-01-9
7311	Tantalum(V) chloride, anhydrous, 99.995% (metals basis)	powder	TaCl <sub>5</sub>	7721-01-9
7312	Tantalum(V) chloride, anhydrous, 99.995% (metals basis)	crystalline	TaCl <sub>5</sub>	7721-01-9
7313	Tantalum(V) iodide, ultra dry, 99.99% (metals basis)	0	TaI <sub>5</sub>	14693-81-3
6501	Terbium, 99.7% (metals basis)	ingot	Tb	7440-27-9
6503	Terbium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Tb(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	13451-19-9
6528	Terbium(III) nitrate hexahydrate, 99.99% (metals basis)	crystalline	Tb(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	13451-19-9
6502	Terbium(III) nitrate hexahydrate, 99.99% (REO)	crystalline	Tb(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	13451-19-9
6504	Terbium(III) nitrate hexahydrate, 99.999% (REO)	crystalline	Tb(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	13451-19-9
6505	Terbium(III) acetate hydrate, 99.9% (REO)	crystalline	Tb(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100587-92-6
6522	Terbium(III) acetate hydrate, 99.99% (REO)	powder	Tb(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100587-92-6
6526	Terbium(III) oxalate decahydrate, 99.9% (REO)	crystalline	Tb <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	51373-66-1
6506	Terbium(III) carbonate hydrate, 99.9% (REO)	crystalline	Tb <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100587-96-0

Catalogue	Name, description	Form	Formula	CAS # EN
6507	Terbium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Tb <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13842-67-6
6508	Terbium(III,IV) oxide, 99.9% (REO)	powder	Tb <sub>4</sub> O <sub>7</sub>	12037-01-3
6509	Terbium(III,IV) oxide, 99.99% (REO)	powder	Tb <sub>4</sub> O <sub>7</sub>	12037-01-3
6510	Terbium(III,IV) oxide, 99.995% (REO)	powder	Tb <sub>4</sub> O <sub>7</sub>	12037-01-3
6531	Terbium(III,IV) oxide, 99.997% (REO)	powder	Tb <sub>4</sub> O <sub>7</sub>	12037-01-3
6511	Terbium(III,IV) oxide, 99.998% (REO)	powder	Tb <sub>4</sub> O <sub>7</sub>	12037-01-3
6525	Terbium(III,IV) oxide, 99.999% (REO)	powder	Tb <sub>4</sub> O <sub>7</sub>	12037-01-3
6512	Terbium(III) bromide, ultra dry, 99.99% (REO)	powder	TbBr <sub>3</sub>	14456-47-4
6513	Terbium(III) bromide hydrate, 99.99% (REO)	crystalline	TbBr <sub>3</sub> ·xH <sub>2</sub> O	15162-98-8
6515	Terbium(III) chloride, ultra dry, 99.9% (REO)	crystalline	TbCl <sub>3</sub>	10042-88-3
6530	Terbium(III) chloride, ultra dry, 99.9% (REO)	powder	TbCl <sub>3</sub>	10042-88-3
6514	Terbium(III) chloride, ultra dry, 99.99% (REO)	powder	TbCl <sub>3</sub>	10042-88-3
6529	Terbium(III) chloride, ultra dry, 99.999% (REO)	crystalline	TbCl <sub>3</sub>	10042-88-3
6523	Terbium(III) chloride hexahydrate, 99.9% (metals basis)	crystalline	TbCl <sub>3</sub> ·6H <sub>2</sub> O	13798-24-8
6518	Terbium(III) chloride hexahydrate, 99.9% (REO)	crystalline	TbCl <sub>3</sub> ·6H <sub>2</sub> O	13798-24-8
6524	Terbium(III) chloride hexahydrate, 99.99% (metals basis)	crystalline	TbCl <sub>3</sub> ·6H <sub>2</sub> O	13798-24-8
6517	Terbium(III) chloride hexahydrate, 99.99% (REO)	crystalline	TbCl <sub>3</sub> ·6H <sub>2</sub> O	13798-24-8

Catalogue	Name, description	Form	Formula	CAS # EN
6516	Terbium(III) chloride hexahydrate, 99.999% (REO)	crystalline	TbCl <sub>3</sub> ·6H <sub>2</sub> O	13798-24-8
6519	Terbium(III) fluoride, anhydrous, 99.9% (REO)	powder	TbF <sub>3</sub>	13708-63-9
6520	Terbium(III) fluoride, anhydrous, 99.99% (REO)	powder	TbF <sub>3</sub>	13708-63-9
6527	Terbium(III) fluoride, anhydrous, 99.99% (REO)	crystalline	TbF <sub>3</sub>	13708-63-9
6521	Terbium(III) iodide, ultra dry, 99.99% (REO)	flakes	TbI <sub>3</sub>	13813-40-6
5201	Tellurium, 99.95% (metals basis)	shots	Te	13494-80-9
5207	Tellurium, 99.99% (metals basis)	shots	Te	13494-80-9
5202	Tellurium, 99.999% (metals basis)	ingot	Te	13494-80-9
5203	Tellurium(IV) bromide, ultra dry, 99.999% (metals basis)	powder	TeBr <sub>4</sub>	10031-27-3
5204	Tellurium(IV) bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	TeBr <sub>4</sub>	10031-27-3
5205	Tellurium(IV) chloride, ultra dry, 99.999% (metals basis)	crystalline	TeCl <sub>4</sub>	10026-07-0
5206	Tellurium(IV) iodide, ultra dry, 99.99% (metals basis)	crystalline	TeI <sub>4</sub>	7790-48-9
2208	Titanium(IV) bromide, anhydrous, 98% (metals basis)	crystalline	TiBr <sub>4</sub>	7789-68-6
2201	Titanium(IV) bromide, ultra dry, 99.99% (metals basis)	powder	TiBr <sub>4</sub>	7789-68-6
2209	Titanium(IV) bromide, ultra dry, 99.99% (metals basis)	crystalline	TiBr <sub>4</sub>	7789-68-6
2202	Titanium(IV) chloride, ultra dry, 99.999% (metals basis)	liquid	TiCl <sub>4</sub>	7550-45-0

Catalogue	Name, description	Form	Formula	CAS # EN
2204	Titanium(IV) iodide, anhydrous, 99.9% (metals basis)	shots	TiI4	7720-83-4
2205	Titanium(IV) iodide, ultra dry, 99.9% (metals basis)	powder	TiI4	7720-83-4
2203	Titanium(IV) iodide, ultra dry, 99.99% (metals basis)	powder	TiI4	7720-83-4
2206	Titanium(IV) iodide, ultra dry, 99.999% (metals basis)	powder	TiI4	7720-83-4
2207	Titanium(IV) oxide, 99.99% (metals basis)	powder	TiO2	1317-80-2
8116	0	ingot	Tl	7440-28-0
8101	Thallium, 99.999% (metals basis)	ingot	Tl	7440-28-0
8117	Thallium(I) carbonate	powder	Tl2CO3	6533-73-9
8102	Thallium(I) carbonate, 99.9+% (metals basis)	powder	Tl2CO3	6533-73-9
8103	Thallium(I) bromide, 99.999% (metals basis)	powder	TlBr	7789-40-4
8114	Thallium(I) bromide, ultra dry, 99.998% (metals basis)	-10 mesh beads	TlBr	7789-40-4
8104	Thallium(I) bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	TlBr	7789-40-4
8105	Thallium(I) bromide, ultra dry, 99.999% (metals basis)	powder	TlBr	7789-40-4
8115	Thallium(I) chloride, 99.999% (metals basis)	powder	TlCl	7791-12-0
8106	Thallium(I) chloride, ultra dry, 99.999% (metals basis)	-10 mesh beads	TlCl	7791-12-0
8107	Thallium(I) chloride, ultra dry, 99.999% (metals basis)	powder	TlCl	7791-12-0
8108	Thallium(I) iodide, 99.9995% (metals basis)	powder	TlI	7790-30-9
8109	Thallium(I) iodide, ultra dry, 99.999% (metals basis)	-10 mesh beads	TlI	7790-30-9
8110	Thallium(I) iodide, ultra dry, 99.999% (metals basis)	powder	TlI	7790-30-9

Catalogue	Name, description	Form	Formula	CAS # EN
8111	Thallium(I) nitrate, 99.5% (metals basis)	crystalline	TlNO <sub>3</sub>	10102-45-1
8112	Thallium(I) nitrate, 99.99% (metals basis)	crystalline	TlNO <sub>3</sub>	10102-45-1
8113	Thallium(I) nitrate, 99.999% (metals basis)	crystalline	TlNO <sub>3</sub>	10102-45-1
6901	Thulium, 99.7% (metals basis)	ingot	Tm	7440-30-4
6925	Thulium(III) nitrate pentahydrate, 99.9% (REO)	crystalline	Tm(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O	36548-87-5
6924	Thulium(III) nitrate hexahydrate, 99.9% (REO)	crystalline	Tm(NO <sub>3</sub> ) <sub>3</sub> ·6H <sub>2</sub> O	35725-33-8
6902	Thulium(III) nitrate hydrate, 99.9% (REO)	crystalline	Tm(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-15-4
6903	Thulium(III) nitrate hydrate, 99.99% (REO)	crystalline	Tm(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	100641-15-4
6919	Thulium(III) acetate tetrahydrate, 99.9% (REO)	crystalline	Tm(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	34431-47-5
6904	Thulium(III) acetate hydrate, 99.9% (REO)	crystalline	Tm(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	314041-04-8
6921	Thulium(III) oxalate hydrate, 99.9% (REO)	crystalline	Tm <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-73-1
6905	Thulium(III) oxalate hydrate, 99.99% (REO)	crystalline	Tm <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-73-1
6906	Thulium(III) carbonate hydrate, 99.9% (REO)	powder	Tm <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	87198-17-2
6918	Thulium(III) sulfate octahydrate, 99.99% (REO)	0	Tm <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	13778-40-0
6907	Thulium(III) oxide, 99.9% (REO)	powder	Tm <sub>2</sub> O <sub>3</sub>	12036-44-1
6908	Thulium(III) oxide, 99.99% (REO)	powder	Tm <sub>2</sub> O <sub>3</sub>	12036-44-1
6909	Thulium(III) oxide, 99.998% (REO)	powder	Tm <sub>2</sub> O <sub>3</sub>	12036-44-1
6910	Thulium(III) bromide, ultra dry, 99.99% (REO)	powder	TmBr <sub>3</sub>	14456-51-0
6922	Thulium(III) bromide, ultra dry, 99.99% (REO)	-10 mesh beads	TmBr <sub>3</sub>	14456-51-0

Catalogue	Name, description	Form	Formula	CAS # EN
6911	Thulium(III) bromide hydrate, 99.99% (REO)	crystalline	TmBr <sub>3</sub> ·xH <sub>2</sub> O	226419-26-7
6912	Thulium(III) chloride, ultra dry, 99.99% (REO)	powder	TmCl <sub>3</sub>	13537-18-3
6917	Thulium(III) chloride hexahydrate, 99.99% (metals basis)	crystalline	TmCl <sub>3</sub> ·6H <sub>2</sub> O	1331-74-4
6920	Thulium(III) chloride hydrate, 99.9% (REO)	crystalline	TmCl <sub>3</sub> ·xH <sub>2</sub> O	19423-86-0
6913	Thulium(III) chloride hydrate, 99.99% (REO)	crystalline	TmCl <sub>3</sub> ·xH <sub>2</sub> O	19423-86-0
6923	Thulium(III) fluoride, anhydrous, 99.9% (REO)	crystalline	TmF <sub>3</sub>	13760-79-7
6914	Thulium(III) fluoride, anhydrous, 99.99% (REO)	powder	TmF <sub>3</sub>	13760-79-7
6916	Thulium(III) iodide, ultra dry, 99.9% (REO)	powder	TmI <sub>3</sub>	13813-43-9
6915	Thulium(III) iodide, ultra dry, 99.99% (REO)	flakes	TmI <sub>3</sub>	13813-43-9
2301	Vanadium(V) oxide, 99.995% (metals basis)	powder	V <sub>2</sub> O <sub>5</sub>	1314-62-1
7401	Tungsten, 99.8% (metals basis)	powder	W	7440-33-7
7402	Tungsten, 99.99% (metals basis)	powder	W	7440-33-7
7403	Tungsten(VI) chloride, anhydrous, 99.9% (metals basis)	powder	WCl <sub>6</sub>	13283-01-7
7404	Tungsten(IV) oxide, 99.9% (metals basis)	-100 mesh powder	WO <sub>2</sub>	12036-22-5
7405	Tungsten(IV) oxide, 99.98% (metals basis)	powder	WO <sub>2</sub>	12036-22-5
7410	Tungsten(VI) oxide, 99.9% (metals basis)	powder	WO <sub>3</sub>	1314-35-8

Catalogue	Name, description	Form	Formula	CAS # EN
7408	Tungsten(VI) oxide, 99.99% (metals basis)	powder	WO <sub>3</sub>	1314-35-8
7409	Tungsten(VI) oxide, 99.998% (metals basis excluding Mo)	powder	WO <sub>3</sub>	1314-35-8
7406	Tungsten(VI) oxide, 99.998% (metals basis)	powder	WO <sub>3</sub>	1314-35-8
7407	Tungsten(IV) selenide, 99.8% (metals basis)	-325 mesh powder	WSe <sub>2</sub>	12067-46-8
1926	Potassium + cesium, 99.75% (metals basis)	breakseal	xKyCs	x
1927	Potassium + cesium, 99.75% (metals basis)	standard	xKyCs	x
1925	Potassium + cesium, 99.99% (metals basis)	breakseal	xKyCs	x
1928	Potassium + cesium, 99.99% (metals basis)	standard	xKyCs	x
1929	Potassium + rubidium, 99.9% (metals basis)	breakseal	xKyRb	x
1930	Potassium + rubidium, 99.9% (metals basis)	standard	xKyRb	x
3901	Yttrium, 98% (metals basis)	ingot	Y	7440-65-5
3902	Yttrium, 99.99% (metals basis)	ingot	Y	7440-65-5
3904	Yttrium(III) nitrate hydrate, 99.9% (REO)	crystalline	Y(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	140191-40-8
3903	Yttrium(III) nitrate hydrate, 99.99% (REO)	crystalline	Y(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	140191-40-8
3933	Yttrium(III) nitrate hydrate, 99.99% (REO)	crystalline	Y(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	140191-40-8
3905	Yttrium(III) acetate tetrahydrate, 99.9% (REO)	powder	Y(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	85949-60-6
3906	Yttrium(III) acetate tetrahydrate, 99.99% (REO)	powder	Y(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	85949-60-6

Catalogue	Name, description	Form	Formula	CAS # EN
3934	Yttrium(III) acetate tetrahydrate, 99.99% (REO)	crystalline	Y(OOCCH <sub>3</sub> ) <sub>3</sub> ·4H <sub>2</sub> O	85949-60-6
3935	Yttrium(III) oxalate nonahydrate, 99.9% (REO)	crystalline	Y <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·9H <sub>2</sub> O	13266-82-5
3907	Yttrium(III) oxalate hydrate, 99.99% (REO)	crystalline	Y <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	252900-41-7
3936	Yttrium(III) carbonate trihydrate, 99.9% (REO)	powder	Y <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·3H <sub>2</sub> O	5970-44-5
3908	Yttrium(III) carbonate hydrate, 99.9% (REO)	powder	Y <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	38245-39-5
3909	Yttrium(III) carbonate hydrate, 99.99% (REO)	powder	Y <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	38245-39-5
3910	Yttrium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Y <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	7446-33-5
3911	Yttrium(III) sulfate octahydrate, 99.99% (REO)	crystalline	Y <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	7446-33-5
3913	Yttrium(III) oxide, 99.9% (REO)	<10 micron powder	Y <sub>2</sub> O <sub>3</sub>	1314-36-9
3914	Yttrium(III) oxide, 99.99% (REO)	<10 micron powder	Y <sub>2</sub> O <sub>3</sub>	1314-36-9
3915	Yttrium(III) oxide, 99.995% (REO)	20-40 nm powder	Y <sub>2</sub> O <sub>3</sub>	1314-36-9
3916	Yttrium(III) oxide, 99.999% (REO)	powder	Y <sub>2</sub> O <sub>3</sub>	1314-36-9
3912	Yttrium(III) oxide, 99.9999% (REO)	powder	Y <sub>2</sub> O <sub>3</sub>	1314-36-9
3917	Iron yttrium oxide, 99.9% (metals basis)	powder	Y <sub>3</sub> Fe <sub>5</sub> O <sub>12</sub>	12063-56-8
7001	Ytterbium, 99.7% (metals basis)	ingot	Yb	7440-64-4
7002	Ytterbium(III) nitrate hydrate, 99.9% (REO)	crystalline	Yb(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	13768-67-7

Catalogue	Name, description	Form	Formula	CAS # EN
7003	Ytterbium(III) nitrate hydrate, 99.99% (REO)	crystalline	Yb(NO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	13768-67-7
7004	Ytterbium(III) acetate hydrate, 99.9% (REO)	crystalline	Yb(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	15280-58-7
7028	Ytterbium(III) acetate hydrate, 99.99% (REO)	crystalline	Yb(OOCCH <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	15280-58-7
7005	Ytterbium(III) oxalate decahydrate, 99.99% (REO)	crystalline	Yb <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·10H <sub>2</sub> O	58176-74-2
7027	Ytterbium(III) oxalate hydrate, 99.9% (REO)	crystalline	Yb <sub>2</sub> (C <sub>2</sub> O <sub>4</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	58176-74-2
7006	Ytterbium(III) carbonate hydrate, 99.9% (REO)	crystalline	Yb <sub>2</sub> (CO <sub>3</sub> ) <sub>3</sub> ·xH <sub>2</sub> O	342385-48-2
7026	Ytterbium(III) sulfate octahydrate, 99.9% (REO)	crystalline	Yb <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	10034-98-7
7024	Ytterbium(III) sulfate octahydrate, 99.99% (REO)	crystalline	Yb <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> ·8H <sub>2</sub> O	10034-98-7
7031	Ytterbium(III) oxide, 99.9% (REO)	powder	Yb <sub>2</sub> O <sub>3</sub>	1314-37-0
7008	Ytterbium(III) oxide, 99.99% (REO)	powder	Yb <sub>2</sub> O <sub>3</sub>	1314-37-0
7009	Ytterbium(III) oxide, 99.995% (REO)	powder	Yb <sub>2</sub> O <sub>3</sub>	1314-37-0
7007	Ytterbium(III) oxide, 99.998% (REO)	powder	Yb <sub>2</sub> O <sub>3</sub>	1314-37-0
7025	Ytterbium(III) oxide, 99.999% (REO)	powder	Yb <sub>2</sub> O <sub>3</sub>	1314-37-0
7010	Ytterbium(III) bromide, anhydrous, 99.99% (REO)	powder	YbBr <sub>3</sub>	13759-89-2
7011	Ytterbium(III) bromide hydrate, 99.9% (REO)	crystalline	YbBr <sub>3</sub> ·xH <sub>2</sub> O	15163-03-8
7013	Ytterbium(III) bromide hydrate, 99.99% (REO)	crystalline	YbBr <sub>3</sub> ·xH <sub>2</sub> O	15163-03-8
7012	Ytterbium(III) bromide hydrate, 99.99% (REO)	lumps	YbBr <sub>3</sub> ·xH <sub>2</sub> O	15163-03-8
7016	Ytterbium(III) chloride, ultra dry, 99.9% (REO)	powder	YbCl <sub>3</sub>	10361-91-8
7017	Ytterbium(III) chloride, ultra dry, 99.9% (REO)	-10 mesh beads	YbCl <sub>3</sub>	10361-91-8

Catalogue	Name, description	Form	Formula	CAS # EN
7014	Ytterbium(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	YbCl <sub>3</sub>	10361-91-8
7015	Ytterbium(III) chloride, ultra dry, 99.99% (REO)	powder	YbCl <sub>3</sub>	10361-91-8
7030	Ytterbium(III) chloride, ultra dry, 99.995% (REO)	powder	YbCl <sub>3</sub>	10361-91-8
7023	Ytterbium(III) chloride, ultra dry, 99.998% (REO)	powder	YbCl <sub>3</sub>	10361-91-8
7019	Ytterbium(III) chloride hydrate, 99.9% (REO)	crystalline	YbCl <sub>3</sub> ·xH <sub>2</sub> O	19423-87-1
7018	Ytterbium(III) chloride hydrate, 99.99% (REO)	crystalline	YbCl <sub>3</sub> ·xH <sub>2</sub> O	19423-87-1
7021	Ytterbium(III) fluoride, anhydrous, 99.9% (REO)	powder	YbF <sub>3</sub>	13760-80-0
7020	Ytterbium(III) fluoride, anhydrous, 99.99% (REO)	powder	YbF <sub>3</sub>	13760-80-0
7029	Ytterbium(III) fluoride, anhydrous, 99.999% (REO)	powder	YbF <sub>3</sub>	13760-80-0
7022	Ytterbium(II) iodide, ultra dry, 99.99% (REO)	powder	YbI <sub>2</sub>	19357-86-9
3918	Yttrium(III) bromide, ultra dry, 99.9% (REO)	powder	YBr <sub>3</sub>	13469-98-2
3919	Yttrium(III) bromide, ultra dry, 99.99% (REO)	powder	YBr <sub>3</sub>	13469-98-2
3920	Yttrium(III) bromide hydrate, 99.99% (REO)	crystalline	YBr <sub>3</sub> ·xH <sub>2</sub> O	13759-89-2
3921	Yttrium(III) chloride, anhydrous, 99.9% (REO)	powder	YCl <sub>3</sub>	10361-92-9
3924	Yttrium(III) chloride, anhydrous, 99.99% (REO)	powder	YCl <sub>3</sub>	10361-92-9
3922	Yttrium(III) chloride, ultra dry, 99.99% (REO)	powder	YCl <sub>3</sub>	10361-92-9
3923	Yttrium(III) chloride, ultra dry, 99.99% (REO)	-10 mesh beads	YCl <sub>3</sub>	10361-92-9
3925	Yttrium(III) chloride hydrate, 99.9% (REO)	crystalline	YCl <sub>3</sub> ·xH <sub>2</sub> O	12741-05-8
3926	Yttrium(III) chloride hydrate, 99.99% (REO)	crystalline	YCl <sub>3</sub> ·xH <sub>2</sub> O	12741-05-8

Catalogue	Name, description	Form	Formula	CAS # EN
3927	Yttrium(III) fluoride, anhydrous, 99.99% (REO)	powder	YF3	13709-49-4
3931	Yttrium(III) fluoride, ultra dry, 99.99% (REO)	powder	YF3	13709-49-4
3932	Yttrium(III) fluoride, ultra dry, 99.999% (REO)	powder	YF3	13709-49-4
3928	Yttrium(III) iodide, ultra dry, 99.9% (REO)	powder	YI3	13470-38-7
3929	Yttrium(III) iodide, ultra dry, 99.99% (REO)	powder	YI3	13470-38-7
3930	Yttrium(III) nitride, 99.8% (REO)	powder	YN	25764-13-0
3011	Zinc nitrate hexahydrate, 99.99% (metals basis)	crystalline	Zn(NO3)2·6H2O	10196-18-6
3001	Zinc bromide, ultra dry, 99.999% (metals basis)	-10 mesh beads	ZnBr2	7699-45-8
3002	Zinc bromide hydrate, 99.999% (metals basis)	crystalline	ZnBr2·xH2O	299465-28-4
3005	Zinc chloride, ultra dry, 99.99% (metals basis)	-10 mesh beads	ZnCl2	7646-85-7
3007	Zinc chloride, ultra dry, 99.99% (metals basis)	powder	ZnCl2	7646-85-7
3003	Zinc chloride, ultra dry, 99.995% (metals basis)	-10 mesh beads	ZnCl2	7646-85-7
3004	Zinc chloride, ultra dry, 99.999% (metals basis)	powder	ZnCl2	7646-85-7
3006	Zinc chloride, ultra dry, 99.999% (metals basis)	-10 mesh beads	ZnCl2	7646-85-7
3008	Zinc chloride hydrate, 99.999% (metals basis)	-10 mesh crystalline	ZnCl2·xH2O	29604-34-0
3009	Zinc iodide, ultra dry, 99.995% (metals basis)	granules	ZnI2	10139-47-6
3010	Zinc selenide, 99.999% (metals basis)	powder	ZnSe	1315-09-9
4001	Zirconium(IV) bromide, ultra dry, 99.9% (metals basis)	crystalline	ZrBr4	1377-25-8

Catalogue	Name, description	Form	Formula	CAS # EN
4007	Zirconium(IV) chloride, anhydrous, 99.9% (metals basis)	powder	ZrCl <sub>4</sub>	10026-11-6
4002	Zirconium(IV) chloride, ultra dry, 99.9% (metals basis)	powder	ZrCl <sub>4</sub>	10026-11-6
4009	Zirconium(IV) iodide, 99.5% (metals basis)	crystalline	ZrI <sub>4</sub>	13986-26-0
4003	Zirconium(IV) iodide, ultra dry, 99.9% (metals basis)	crystalline	ZrI <sub>4</sub>	13986-26-0
4004	Zirconium dinitrate oxide hydrate, 99.9% (metals basis)	crystalline	ZrO(NO <sub>3</sub> ) <sub>2</sub> ·xH <sub>2</sub> O	14985-18-3
4006	Zirconium(IV) oxide, 99.99% (metals basis excluding Hf)	powder	ZrO <sub>2</sub>	1314-23-4
4005	Zirconium(IV) oxide, 99.99% (metals basis)	powder	ZrO <sub>2</sub>	1314-23-4
4008	Zirconium dichloride oxide hydrate (metals basis excluding Hf)	crystalline	ZrOCl <sub>2</sub> ·xH <sub>2</sub> O	15461-27-5